



Weights and Measures

DATE: 11/13/2018		DIMENSIONS						VOLUME		WEIGHT			DENSITY		UPC - CODE		SHIPPING			Mfg	PACK	
Product	Description	INCHES			MM			ft^3	m^3	lbs	oz	kg	lb/ft^3	kg/m^3	Prefix	Suffix		NMFC	RATE	Davis	Origin	TYPE
#		L	W	H	L	W	H										#		#			
0131	WEATHER FORECASTING QRC																					
	Standard Pack - 24	11.00	8.50	1.06	279.40	215.90	26.92	0.057	0.002	5 lbs	3.00 oz	2.353	90.44	1448.81	011698	01311	1					SHRINK
0271	TURBO METER																					
0271C	Packaged	6.00	5.13	2.00	152.40	130.30	50.80	0.036	0.001	1 lbs	6.25 oz	0.177	10.96	175.64	011698	02710	1	156600	100	C	USA	BOX
	Standard Pack - 3	6.50	6.50	4.63	165.10	165.10	117.60	0.113	0.003	1 lbs	8.00 oz	0.680	13.25	212.25	011698	02711	8					BOX
6100	Weatherlink LIVE														011698	01344	9					
6100EU	Weatherlink LIVE -EU														011698	01345	6					
6100UK	Weatherlink LIVE - UK														011698	01346	3					
	Packaged	13.13	6.75	3.13	333.38	171.45	79.38	0.160	0.005	1 lbs	8.00 oz	0.680	9.36	149.97				156600	100	C	USA	BOX
6152	WIRELESS VANTAGE PRO2														011698	00722	6					
6152EU	WIRELESS VANTAGE PRO2 EU														011698	00758	5					
6152UK	WIRELESS VANTAGE PRO2 UK														011698	00759	2					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	11 lbs	13.40 oz	5.369	7.04	112.79				156600	100	C	USA	BOX
6152C	CABLED VANTAGE PRO2														011698	00755	4					
6152CEU	CABLED VANTAGE PRO2 EU														011698	00772	1					
6152CUK	CABLED VANTAGE PRO2 UK														011698	00773	8					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	12 lbs	15.00 oz	5.868	7.70	123.28				156600	100	C	USA	BOX
6153	WIRELESS VANTAGE PRO2 with 24-Hr. Fan-Aspirated Radiation Shield														011698	00750	9					
6153EU	WIRELESS VANTAGE PRO2 EU with 24-Hr. Fan-Aspirated Radiation Shield														011698	00760	8					
6153UK	WIRELESS VANTAGE PRO2 UK with 24-Hr. Fan-Aspirated Radiation Shield														011698	00761	5					
	Packaged	14.88	12.88	23.38	377.83	327.03	593.73	2.591	0.073	16 lbs	10.56 oz	7.557	6.43	103.01				156600	100	C	USA	BOX
6154	WIRELESS VANTAGE PRO2 with upgraded Temperature/Humidity Sensor														011698	01015	8					
6154EU	WIRELESS VANTAGE PRO2 with upgraded Temperature/Humidity Sensor														011698	01016	5					
6154UK	WIRELESS VANTAGE PRO2 with upgraded Temperature/Humidity Sensor														011698	01017	2					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	11 lbs	13.40 oz	5.369	7.04	112.79				156600	100	C	USA	BOX
6154C	CABLED VANTAGE PRO2 with upgraded Temperature/Humidity Sensor														011698	01007	3					
6154CEU	CABLED VANTAGE PRO2 with upgraded Temperature/Humidity Sensor														011698	01008	0					
6154CUK	CABLED VANTAGE PRO2 with upgraded Temperature/Humidity Sensor														011698	01009	7					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	12 lbs	15.00 oz	5.868	7.70	123.28				156600	100	C	USA	BOX
6155	WIRELESS VANTAGE PRO2 with 24-Hour Fan-Aspirated Radiation Shield and upgraded Temperature/Humidity Sensor														011698	01018	9					
6155EU	WIRELESS VANTAGE PRO2 with 24-Hour Fan-Aspirated Radiation Shield and upgraded Temperature/Humidity Sensor														011698	01019	6					
6155UK	WIRELESS VANTAGE PRO2 with 24-Hour Fan-Aspirated Radiation Shield and upgraded Temperature/Humidity Sensor														011698	01020	2					
	Packaged	14.88	12.88	23.38	377.83	327.03	593.73	2.591	0.073	16 lbs	10.56 oz	7.557	6.43	103.01				156600	100	C	USA	BOX
6162	WIRELESS VANTAGE PRO2 PLUS with UV & Solar Radiation Sensors														011698	00746	2					
6162EU	WIRELESS VANTAGE PRO2 PLUS EU with UV & Solar Radiation Sensors														011698	00753	3					
6162UK	WIRELESS VANTAGE PRO2 PLUS UK with UV & Solar Radiation Sensors														011698	00751	6					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	11 lbs	15.00 oz	5.415	7.10	113.75				156600	100	C	USA	BOX
6162C	CABLED VANTAGE PRO2 PLUS with UV & Solar Radiation Sensors														011698	00756	1					
6162CEU	CABLED VANTAGE PRO2 PLUS EU with UV & Solar Radiation Sensors														011698	00774	5					
6162CUK	CABLED VANTAGE PRO2 PLUS UK with UV & Solar Radiation Sensors														011698	00775	2					
	Packaged	16.13	10.38	13.00	409.58	263.53	330.20	1.259	0.036	13 lbs	4.50 oz	6.024	10.55	169.04				156600	100	C	USA	BOX
6163	WIRELESS VANTAGE PRO2 PLUS with UV & Solar Radiation Sensors and 24-Hr. Fan-Aspirated Radiation Shield														011698	00747	9					
6163EU	WIRELESS VANTAGE PRO2 PLUS EU with UV & Solar Radiation Sensors and 24-Hr. Fan-Aspirated Radiation Shield														011698	00762	2					
6163UK	WIRELESS VANTAGE PRO2 PLUS UK with UV & Solar Radiation Sensors and 24-Hr. Fan-Aspirated Radiation Shield														011698	00763	9					
	Packaged	14.88	12.88	23.38	377.83	327.03	593.73	2.591	0.073	17 lbs	5.12 oz	7.856	6.69	107.09				156600	100	C	USA	BOX
6164	WIRELESS VANTAGE PRO2 PLUS with UV & Solar Radiation Sensors and upgraded Temperature/Humidity Sensor														011698	01022	6					
6164EU	WIRELESS VANTAGE PRO2 PLUS with UV & Solar Radiation Sensors and upgraded Temperature/Humidity Sensor														011698	01023	3					
6164UK	WIRELESS VANTAGE PRO2 PLUS with UV & Solar Radiation Sensors and upgraded Temperature/Humidity Sensor														011698	01024	0					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	12 lbs	5.76 oz	5.606	7.35	117.77				156600	100	C	USA	BOX
6164C	CABLED VANTAGE PRO2 PLUS with UV & Solar Radiation Sensors and upgraded Temperature/Humidity Sensor														011698	01010	3					
6164CEU	CABLED VANTAGE PRO2 PLUS EU with UV & Solar Radiation Sensors and upgraded Temperature/Humidity Sensor														011698	01011	0					
6164CUK	CABLED VANTAGE PRO2 PLUS UK with UV & Solar Radiation Sensors and upgraded Temperature/Humidity Sensor														011698	01012	7					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	13 lbs	4.50 oz	6.024	7.90	126.55				156600	100	C	USA	BOX
6165	WIRELESS VANTAGE PRO2 PLUS with UV & Solar Radiation Sensors, 24-Hr. Fan-Aspirated Radiation Shield and upgraded Temperature/Humidity Sensor														011698	01022	6					
6165EU	WIRELESS VANTAGE PRO2 PLUS with UV & Solar Radiation Sensors, 24-Hr. Fan-Aspirated Radiation Shield and upgraded Temperature/Humidity Sensor														011698	01023	3					
6165UK	WIRELESS VANTAGE PRO2 PLUS with UV & Solar Radiation Sensors, 24-Hr. Fan-Aspirated Radiation Shield and upgraded Temperature/Humidity Sensor														011698	01024	0					
	Packaged	14.88	12.88	23.38	377.83	327.03	593.73	2.591	0.073	17 lbs	5.12 oz	7.856	6.69	107.09				156600	100	C	USA	BOX
6250	Vantage Vue - US														011698	00912	1					
6250EU	Vantage Vue - EU														011698	00916	9					
6250UK	Vantage Vue - UK														011698	00917	6					
6250M	Vantage Vue - Metric														011698	00920	6					
	Packaged	18.00	15.13	7.00	457.20	384.18	177.80	1.103	0.031	6 lbs	11.20 oz	3.039	6.08	97.32				156600	100	C	USA	BOX



Weights and Measures

DATE: 11/13/2018		DIMENSIONS							VOLUME		WEIGHT			DENSITY		UPC - CODE		SHIPPING			Mfg	PACK	
Product #	Description	INCHES			MM				ft^3	m^3	lbs	oz	kg	lb/ft^3	kg/m^3	Prefix	Suffix	NMFC #	RATE	Davis #	Origin	TYPE	
		L	W	H	L	W	H																
6312	CONSOLE/RECEIVER for Wireless Vantage Pro2																						
6312EU	CONSOLE/RECEIVER EU for Wireless Vantage Pro2																						
6312UK	CONSOLE/RECEIVER UK for Wireless Vantage Pro2																						
	Packaged	12.61	9.25	2.50	320.36	234.95	63.50	0.169	0.005	2	lbs	10.00	oz	1.191	15.55	249.13			156600	100	C	USA	BOX
6316	WIRELESS WEATHER ENVOY																						
6316EU	WIRELESS WEATHER ENVOY EU																						
6316UK	WIRELESS WEATHER ENVOY UK																						
	Packaged	10.25	5.63	3.00	260.35	143.00	76.20	0.100	0.003	1	lbs	0.00	oz	0.454	9.98	159.89			156600	100	C	USA	BOX
6316C	CABLED WEATHER ENVOY																						
6316CEU	CABLED WEATHER ENVOY EU																						
6316CUK	CABLED WEATHER ENVOY UK																						
	Packaged	10.25	5.63	3.00	260.35	143.00	76.20	0.100	0.003	1	lbs	0.00	oz	0.454	9.98	159.89			156600	100	C	USA	BOX
6318	ENVOY8X																						
6318EU	ENVOY8X - EU																						
6318UK	ENVOY8X - UK																						
	Packaged	10.25	5.63	3.00	260.35	143.00	76.20	0.100	0.003	1	lbs	2.24	oz	0.517	11.38	182.27			156600	100	C	USA	BOX
6322	INTEGRATED SENSOR SUITE for Vantage Pro2 Wireless																						
6322OV	INTEGRATED SENSOR SUITE for Vantage Pro2 Wireless - OV																						
6322RU	INTEGRATED SENSOR SUITE for Vantage Pro2 Wireless - Russia																						
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	9	lbs	1.40	oz	4.122	5.41	86.59			156600	100	C	USA	Box
6322C	INTEGRATED SENSOR SUITE for Vantage Pro2 Cabled																						
6322CM	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	9	lbs	1.40	oz	4.122	5.41	86.59			156600	100	C	USA	Box
6323	ISS, VP2 WIRELESS SPARS																						
6323OV	ISS, VP2 WIRELESS SPARS EU																						
	Packaged	14.88	12.88	23.38	377.83	327.03	593.73	2.591	0.073	15	lbs	15.00	oz	7.229	6.15	98.55			156600	100	C	USA	Box
6324	ISS, VP2 WIRELESS WITH UPGRADED TEMPERATURE/HUMIDITY SENSOR																						
6324OV	ISS, VP2 WIRELESS OV WITH UPGRADED TEMPERATURE/HUMIDITY SENSOR																						
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	9	lbs	1.40	oz	4.122	5.41	86.59			156600	100	C	USA	Box
6324C	ISS, VP2 CABLED WITH UPGRADED TEMPERATURE/HUMIDITY SENSOR																						
6324COV	ISS, VP2 CABLED OV WITH UPGRADED TEMPERATURE/HUMIDITY SENSOR																						
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	9	lbs	1.40	oz	4.122	5.41	86.59			156600	100	C	USA	Box
6327	ISS PLUS, WIRELESS, SOLAR & UV																						
6327OV	ISS PLUS, WIRELESS, SOLAR & UV - OV																						
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	11	lbs	1.28	oz	5.026	6.59	105.58			156600	100	C	USA	Box
6327C	ISS, CABLED, PLUS, SOLAR & UV																						
6327CM	Product	11.00	9.38	14.00	279.40	238.13	355.60	0.836	0.024	5	lbs	6.75	oz	2.459	6.49	103.95							
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	11	lbs	2.24	oz	5.053	6.63	106.15			156600	100	C	USA	Box
6328	ISS PLUS, WIRELESS, 24-hr FARS W/ SOLAR & UV																						
6328OV	ISS PLUS, WIRELESS, 24-hr FARS W/ SOLAR & UV - OV																						
6328NZ	ISS PLUS, WIRELESS, 24-hr FARS W/ SOLAR & UV - NZ																						
	Packaged	14.88	12.88	23.38	377.83	327.03	593.73	2.591	0.073	16	lbs	8.40	oz	7.496	6.38	102.18			156600	100	C	USA	Box
6329	ISS PLUS, WIRELESS, SOLAR & UV AND UPGRADED TEMPERATURE/HUMIDITY SENSOR																						
6329OV	ISS PLUS, WIRELESS, OV, WITH SOLAR & UV AND UPGRADED TEMPERATURE/HUMIDITY SENSOR																						
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	11	lbs	1.28	oz	5.026	6.59	105.58			156600	100	C	USA	Box
6329C	ISS PLUS, CABLED, SOLAR & UV AND UPGRADED TEMPERATURE/HUMIDITY SENSOR																						
6329COV	ISS PLUS, CABLED, OV, WITH SOLAR & UV AND UPGRADED TEMPERATURE/HUMIDITY SENSOR																						
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	11	lbs	2.24	oz	5.053	6.63	106.15			156600	100	C	USA	Box
6332	ANEMOMETER/SENSOR TRANSMITTER KIT																						
6332OV	ANEMOMETER/SENSOR TRANSMITTER KIT OV																						
	Packaged	11.75	7.00	3.00	298.45	177.80	76.20	0.143	0.004	1	lbs	13.50	oz	0.836	12.91	206.83			156600	100	C	USA	BOX
6334	ISS, SOLAR/AG WIRELESS with Daytime Fan and Solar Radiation Sensor																						
6334OV	Packaged	14.88	12.88	23.38	377.95	327.15	593.85	2.593	0.073	13	lbs	5.44	oz	6.051	5.14	82.41			156600	175	C	USA	BOX
6334C	ISS, SOLAR/AG CABLED with Daytime Fan and Solar Radiation Sensor																						
6334CM	Packaged	14.88	12.88	23.38	377.95	327.15	593.85	2.593	0.073	14	lbs	9.60	oz	6.623	5.63	90.19			156600	175	C	USA	BOX
6345	WIRELESS LEAF WETNESS/TEMPERATURE STATION																						
6345OV	WIRELESS LEAF WETNESS/TEMPERATURE STATION - OV																						
6345RU	WIRELESS LEAF WETNESS/TEMPERATURE STATION - RU																						
	Packaged	11.75	6.75	3.00	298.45	171.45	76.20	0.138	0.004	2	lbs	2.00	oz	0.964	15.43	247.21			156600	100	C	USA	BOX
6345CS	COMPLETE WIRELESS SOIL MOISTURE/TEMPERATURE STATION																						
6345CSOV	COMPLETE WIRELESS SOIL MOISTURE/TEMPERATURE STATION OV																						
	Packaged	11.25	8.75	6.00	285.75	222.25	152.40	0.342	0.010	3	lbs	10.50	oz	1.658	10.70	171.35			156600	100	C	USA	BOX



Weights and Measures

DATE: 11/13/2018		DIMENSIONS						VOLUME		WEIGHT				DENSITY		UPC - CODE		SHIPPING			Mfg	PACK
Product	Description	INCHES			MM			ft^3	m^3	lbs	oz	kg	lb/ft^3	kg/m^3	Prefix	Suffix		NMFC	RATE	Davis	Origin	TYPE
#		L	W	H	L	W	H										#		#			
6351	Vantage Vue console - US														011698	00913	8					
6351M	Vantage Vue console - US with metric setup														011698	00921	3					
6351EU	Vantage Vue console - EU														011698	00918	3					
6351UK	Vantage Vue console - UK														011698	00919	0					
6351NZ	Vantage Vue console - NZ														011698	01275	6					
	Packaged	8.00	8.00	4.00	203.20	203.20	101.60	0.148	0.004	2 lbs	0.30 oz	0.916	13.63	218.28			156600	100	C	USA	BOX	
6357	Vantage Vue - US no console														011698	00914	5					
6357M	Vantage Vue - US with metric setup no console														011698	00922	0					
6257OV	Vantage Vue - OV no console														011698	00923	7					
	Packaged	18.00	15.13	7.00	457.20	384.18	177.80	1.103	0.031	4 lbs	8.00 oz	2.041	4.08	65.36			156600	100	C	USA	BOX	
6372	WIRELESS TEMPERATURE STATION														011698	00741	7					
6372OV	WIRELESS TEMPERATURE STATION - OV														011698	00742	4					
	Packaged	11.75	7.00	3.00	298.45	177.80	76.20	0.143	0.004	1 lbs	13.50 oz	0.836	12.91	206.83			156600	100	C	USA	BOX	
6382	WIRELESS TEMPERATURE/HUMIDITY STATION														011698	00743	1					
6382OV	WIRELESS TEMPERATURE/HUMIDITY STATION - OV														011698	00744	8					
	Packaged	8.63	8.63	10.63	219.08	219.08	269.88	0.457	0.013	4 lbs	12.80 oz	2.177	10.49	168.10			156600	100	C	USA	BOX	
6383	WIRELESS TEMPERATURE/HUMIDITY STATION WITH UPGRADED TEMPERATURE/HUMIDITY SENSOR														011698	01036	3					
6383OV	WIRELESS TEMPERATURE/HUMIDITY STATION - OV WITH UPGRADED TEMPERATURE/HUMIDITY SENSOR														011698	01037	0					
	Packaged	8.63	8.63	10.63	219.08	219.08	269.88	0.457	0.013	4 lbs	12.80 oz	2.177	10.49	168.10			156600	100	C	USA	BOX	
6410	ANEMOMETER																0					
	Packaged	17.75	10.00	3.00	450.85	254.00	76.20	0.308	0.009	1 lbs	15.00 oz	0.879	6.29	100.71	011698	00237	5	156600	100	C	USA	BOX
6420	LEAF WETNESS SENSOR																					
	Packaged	5.75	4.25	3.25	146.05	107.95	82.55	0.046	0.001	lbs	6.40 oz	0.181	8.70	139.41	011698	00238	2	156600	100	F	USA	BOX
6440	SOIL MOISTURE SENSOR																					
	Packaged	6.00	5.63	1.25	152.40	142.88	31.75	0.024	0.001	lbs	9.00 oz	0.255	23.04	369.07	011698	00330	3	156600	100	F	USA	BAG
6450	SOLAR RADIATION SENSOR																					
	Packaged	6.00	4.25	3.25	152.40	107.95	82.55	0.048	0.001	lbs	5.76 oz	0.163	7.51	120.24	011698	00240	5	156600	100	C	USA	BOX
6460	AeroCone w/Bird Spikes and Debris Screen, Logo																					
6461	AeroCone w/Bird Spikes and Debris Screen, NO Logo																					
	Packaged	8.50	8.50	10.75	215.90	215.90	273.05	0.449	0.013	1 lbs	11.20 oz	0.771	3.78	60.59			156600	100	C	USA	BOX	
6463	Rain Collector, AeroCone																					
6463M	Rain Collector, Metric ,AeroCone																					
	Packaged	8.50	8.50	10.75	215.90	215.90	273.05	0.449	0.013	2 lbs	5.00 oz	1.049	5.14	82.42	011698	01306	7	156600	100	C	USA	BOX
6465	Rain Collector w/Mountable Base, AeroCone																					
6465M	Rain Collector w/Mountable Base, Metric, AeroCone																					
	Packaged	11.00	9.00	11.00	279.40	228.60	279.40	0.630	0.018	3 lbs	14.50 oz	1.772	6.20	99.29			156600	100	C	USA	BOX	
6470	STAINLESS STEEL TEMPERATURE PROBE for Air, Soil or Water																					
	Packaged	5.50	4.50	1.50	139.70	114.30	38.10	0.021	0.001	lbs	6.00 oz	0.170	17.45	279.60	011698	00241	2	156600	70	F	USA	BOX
6475	STAINLESS STEEL TEMPERATURE PROBE WITH RJ CONNECTOR																					
	Packaged	5.50	4.50	1.50	139.70	114.30	38.10	0.021	0.001	lbs	5.76 oz	0.163	16.76	268.42	011698	00949	7	156600	70	F	USA	BAG
6477	TEMPERATURE PROBE WITH RJ CONNECTOR for Envoy and Anemometer/Sensor Transmitter Kit																					
	Packaged	5.50	4.50	1.60	139.70	114.30	40.64	0.023	0.001	lbs	5.44 oz	0.154	14.84	237.66	011698	00950	3	156600	70	F	USA	BAG
6490	UV SENSOR																					
	Packaged	6.00	4.25	3.25	152.40	107.95	82.55	0.048	0.001	lbs	5.44 oz	0.154	7.09	113.56	011698	00243	6	156600	100	C	USA	BOX
6510SER	WEATHERLINK FOR VANTAGE PRO2, with Data Logger for Windows, Serial Port																					
	Packaged	9.00	6.00	1.63	228.60	152.40	41.28	0.051	0.001	lbs	8.00 oz	0.227	9.85	157.72	011698	00726	4	156300	60	S	USA	BOX
6510USB	WEATHERLINK FOR VANTAGE PRO2, with Data Logger for Windows, USB																					
	Packaged	9.00	6.00	1.63	228.60	152.40	41.28	0.051	0.001	lbs	8.00 oz	0.227	9.85	157.72	011698	00727	1	156300	60	S	USA	BOX
6510X	EXTRA USER LICENSE KIT for WeatherLink for Vantage Pro																					
	Packaged	9.00	6.00	1.63	228.60	152.40	41.28	0.051	0.001	lbs	4.80 oz	0.136	5.91	94.63	011698	00334	1	156300	60	S	USA	BOX
6511	AGRICULTURAL/TURF MANAGEMEN																					
	Packaged	9.00	6.00	1.63	228.60	152.40	41.28	0.051	0.001	lbs	4.00 oz	0.113	4.92	78.86	011698	00696	0	156300	60	S	USA	BOX
6512	E-MAIL/PHONE ALERT MODULE																					
	Packaged	9.75	6.25	1.25	247.65	158.75	31.75	0.044	0.001	lbs	4.00 oz	0.113	5.67	90.85	011698	00697	7	156300	60	S	USA	BOX
6520	WEATHERLINK FOR VANTAGE PRO2, with Data Logger for Mac OS X, v 10.1+																					
	Packaged	9.00	6.00	1.63	228.60	152.40	41.28	0.051	0.001	lbs	8.00 oz	0.227	9.85	157.72	011698	00735	6	156300	60	S	USA	BOX
6520X	WEATHERLINK FOR VANTAGE PRO2, MAC, OS X, V10.1, EXTRA LICENSE KIT																					
	Packaged	10.00	6.38	1.13	254.00	161.93	28.58	0.042	0.001	lbs	5.12 oz	0.145	7.71	123.51	011698	00384	6	156300	60	S	USA	BOX
6571	INTEGRATED PEST MANAGEMENT MODULE FOR GRAPES																					
	Packaged	7.50	5.40	0.55	190.50	137.16	13.97	0.013	0.000	lbs	4.00 oz	0.113	19.39	310.67	011698	00944	2	156300	60	S	USA	BOX
6572	INTEGRATED PEST MANAGEMENT MODULE FOR APPLES AND PEARS																					
	Packaged	7.50	5.40	0.55	190.50	137.16	13.97	0.013	0.000	lbs	4.00 oz	0.113	19.39	310.67	011698	00958	9	156300	60	S	USA	BOX
6573	INTEGRATED PEST MANAGEMENT MODULE FOR STONE FRUITS																					
	Packaged	7.50	5.40	0.55	190.50	137.16	13.97	0.013	0.000	lbs	4.00 oz	0.113	19.39	310.67	011698	00958	9	156300	60	S	USA	BOX
6574	INTEGRATED PEST MANAGEMENT MODULE FOR NUT TREES																					
	Packaged	7.50	5.40	0.55	190.50	137.16	13.97	0.013	0.000	lbs	4.00 oz	0.113	19.39	310.67	011698	01003	5	156300	60	S	USA	BOX
6540	WEATHERLINK FOR APRS, with Streaming Data Logger, Windows, Serial Port																					
	Packaged	9.00	6.00	1.63	228.60	152.40	41.28	0.051	0.001	lbs	9.60 oz	0.272	11.82	189.27	011698	00736	3	156300	60	S	USA	



Weights and Measures

DATE: 11/13/2018		DIMENSIONS						VOLUME		WEIGHT			DENSITY		UPC - CODE		SHIPPING			Mfg	PACK		
#	Description	INCHES			MM			ft^3	m^3	lbs	oz	kg	lb/ft^3	kg/m^3	Prefix	Suffix	#	RATE	Davis #	Origin	TYPE		
		L	W	H	L	W	H																
6544	WEATHERLINK FOR ALARM OUTPUT with Connector Block																						
	Packaged	9.00	6.00	1.63	228.60	152.40	41.40	0.051	0.001	lbs	10.24	oz	0.290	12.56	201.27	011698	00820	9	156300	60	S	USA	
6550	WEATHERLINK FOR EMERGENCY RESPONSE TEAM, with Streaming Data Logger, Windows, Serial Port																						
	Packaged	9.00	6.00	1.63	228.60	152.40	41.28	0.051	0.001	lbs	8.60	oz	0.244	10.58	169.55	011698	00737	0	156300	60	S	USA	
6555	WEATHERLINK IP																						
	Packaged	9.00	6.00	1.63	228.60	152.40	41.28	0.051	0.001	lbs	9.00	oz	0.255	11.08	177.44	011698	00893	3	156300	60	S	USA	
6560	WEATHERLINK FOR IRRIGATION CONTROL, with Connector Block																						
	Packaged	9.00	6.00	1.63	228.60	152.40	41.28	0.051	0.001	lbs	9.90	oz	0.281	12.18	195.18	011698	00738	7	156300	60	S	USA	
6612	Battery, 6V, 12 AMPS, SLA																						
	Packaged	5.50	15.00	11.50	139.70	381.00	292.10	0.549	0.016	10 lbs	3.20	oz	4.627	18.58	297.59	011698	00980	0	156600	100	C	USA	BOX
6613	SOLAR PWR KIT W/12AH BAT																						
	Packaged (double)	6.00	6.00	3.00	152.40	152.40	76.20	0.063	0.002	4 lbs	2.00	oz	1.871	66.00	1057.24	011698	01358	6	156600	100	C	USA	BOX
6614	SOLAR PWR KIT W/1.40Ah BT																						
	Packaged (double)	5.50	15.00	11.50	139.70	381.00	292.10	0.549	0.016	6 lbs	11.20	oz	3.039	12.20	195.48	011698	00981	7	156600	100	C	USA	BOX
6616	SHELTER, EXTRA SOLAR PNL																						
	Packaged (double)	4.25	14.00	10.00	107.95	355.60	254.00	0.344	0.010	4 lbs	6.40	oz	1.996	12.78	204.70	011698	00982	4	156600	100	C	USA	BOX
6618	UNIVERSAL SHELTER																						
	Packaged	4.25	14.00	10.00	107.95	355.60	254.00	0.344	0.010	3 lbs	4.00	oz	1.474	9.44	151.20	011698	00981	7	156600	100	C	USA	BOX
6620	VANTAGE CONNECT - US, GSM/2G																						
6620CA	VANTAGE CONNECT - Canada GSM/2G																						
6620G	VANTAGE CONNECT - Various countries, GSM/2G																						
6620ND	VANTAGE CONNECT - India, GSM/2G																						
6620NZ	VANTAGE CONNECT - Peru, GSM/2G																						
6620OV	VANTAGE CONNECT - Various countries, GSM/2G																						
6620S	VANTAGE CONNECT - Various countries, GSM/2G																						
6620SOV	VANTAGE CONNECT - Various countries, GSM/2G																						
6620C	VANTAGE CONNECT - Cabled, US, GSM/2G																						
6620CCA	VANTAGE CONNECT - Cabled, Canada, GSM/2G																						
6620COV	VANTAGE CONNECT - Cabled, Various countries, GSM/2G																						
6620CS	VANTAGE CONNECT - Cabled, Various countries, GSM/2G																						
	Packaged	5.50	15.00	11.50	139.70	381.00	292.10	0.549	0.016	10 lbs	10.20	oz	4.825	19.37	310.36	011698	00989	3	156600	100	C	USA	BOX
6621	VANTAGE CONNECT - US, CDMA																						
6621C	VANTAGE CONNECT - Cabled, US, CDMA																						
	Packaged	5.50	15.00	11.50	139.70	381.00	292.10	0.549	0.016	10 lbs	10.20	oz	4.825	19.37	310.36	011698	01140	7	156600	100	C	USA	BOX
6622	VANTAGE CONNECT - GSM/3G																						
6622AU	VANTAGE CONNECT - GSM/3G																						
6622BR	VANTAGE CONNECT - GSM/3G																						
6622CA	VANTAGE CONNECT - GSM/3G																						
6622G	VANTAGE CONNECT - GSM/3G																						
6622JP	VANTAGE CONNECT - GSM/3G																						
6622NZ	VANTAGE CONNECT - GSM/3G																						
6622ND	VANTAGE CONNECT - GSM/3G																						
6622OV	VANTAGE CONNECT - GSM/3G																						
6622RU	VANTAGE CONNECT - GSM/3G																						
6622S	VANTAGE CONNECT - GSM/3G																						
6622SOV	VANTAGE CONNECT - GSM/3G																						
6622P	VANTAGE CONNECT - GSM/3G																						
6622C	VANTAGE CONNECT - Cabled, GSM/3G																						
6622CAU	VANTAGE CONNECT - Cabled, GSM/3G																						
6622CBR	VANTAGE CONNECT - Cabled, GSM/3G																						
6622CCA	VANTAGE CONNECT - Cabled, GSM/3G																						
6622CNZ	VANTAGE CONNECT - Cabled, GSM/3G																						
6622CND	VANTAGE CONNECT - Cabled, GSM/3G																						
6622CS	VANTAGE CONNECT - Cabled, GSM/3G																						
	Packaged	5.50	15.00	11.50	139.70	381.00	292.10	0.549	0.016	10 lbs	10.20	oz	4.825	19.37	310.36	011698	01156	8	156600	100	C	USA	BOX
6627	USB Power Cable for Vantage Pro2 & Vantage Vue Consoles/Envoy																						
	Packaged	6.50	4.00	1.00	165.10	101.60	25.40	0.015	0.000	lbs	2.00	oz	0.057	8.31	133.08	011698	01301	2	156600	100	C	China	BAG
6670	Universal Sensor Mounting Bracket																						
	Packaged	7.00	4.00	3.00	177.80	101.60	76.20	0.049	0.001	lbs	13.30	oz	0.377	17.10	273.92	011698	01330	2	156600	100	C	Taiwan	BAG
6671	Angle Bracket For Shelter																						
	Packaged	6.00	4.00	2.00	152.40	101.60	50.80	0.028	0.001	lbs	13.00	oz	0.369	29.25	468.55	011698	01331	9	156600	100	C	Taiwan	BAG
6673	SENSOR MOUNTING SHELF for Solar Radiation & UV Sensors																						
	Packaged	6.00	4.25	3.25	152.40	107.95	82.55	0.048	0.001	lbs	7.40	oz	0.210	9.64	154.48	011698	00267	2	95190	70	L	USA	BOX
6710	OPTIONAL AC CHARGER KIT FOR VANTAGE CONNECT & HEAVY DUTY SOLAR POWER KIT																						
	Packaged	6.25	4.25	2.25	158.75	107.95	57.15	0.035	0.001	0 lbs	4.80	oz	0.136	8.67	138.94	011698	01004	2	156600	110	C	USA	BOX
6800	EnviroMonitor Gateway, CDMA																						
6801	EnviroMonitor Gateway, HSPA																						
6801AU	EnviroMonitor Gateway, HSPA																						



Weights and Measures

Table with columns: DATE: 11/13/2018, Product, Description, DIMENSIONS (INCHES, MM), VOLUME (ft^3, m^3), WEIGHT (lbs, oz, kg), DENSITY (lb/ft^3, kg/m^3), UPC-CODE (Prefix, Suffix), SHIPPING (NMFC #, RATE, #), Mfg (Origin), PACK (TYPE). Rows include various products like EnviroMonitor Gateway, Vantage Pro2, and Rain Collector Cone Replacement Kits.



Weights and Measures

DATE: 11/13/2018		DIMENSIONS						VOLUME		WEIGHT			DENSITY		UPC - CODE		SHIPPING			Mfg	PACK
Product	Description	INCHES			MM			ft^3	m^3	lbs	oz	kg	lb/ft^3	kg/m^3	Prefix	Suffix	NMFC #	RATE	Davis #	Origin	TYPE
#		L	W	H	L	W	H														
7857	RAIN COLLECTOR with VP2 Base for Pole Mount																				
7857M	Packaged	11.00	9.00	10.00	279.40	228.60	254.00	0.573	0.016	3 lbs	14.40 oz	1.769	6.81	109.04	11698	01142	1	156600	150	C	
7876-008	4-CONDUCTOR STD CABLE, 8'																				
	Packaged	6.60	6.00	1.00	167.64	152.40	25.40	0.023	0.001	lbs	2.88 oz	0.082	7.85	125.82	011698	00310	5	156600	70	F	TAIWAN
7876-040	4-CONDUCTOR STD CABLE, 40'																				
	Packaged	7.00	3.50	1.50	177.80	88.90	38.10	0.021	0.001	lbs	7.50 oz	0.213	22.04	353.07	011698	78761	6	156600	70	F	TAIWAN
7876-100	4-CONDUCTOR STD CABLE, 100'																				
	Packaged	9.00	5.50	1.50	228.60	139.70	38.10	0.043	0.001	1 lbs	2.00 oz	0.510	26.18	419.40	011698	78762	3	156600	70	F	TAIWAN
7876-200	4-CONDUCTOR STD CABLE, 200'																				
	Packaged	11.00	7.00	2.50	279.40	177.80	63.50	0.111	0.003	2 lbs	9.28 oz	1.170	23.16	370.99	011698	00311	2	156600	70	F	TAIWAN
7878-040	6-CONDUCTOR STD CABLE, 40'																				
	Packaged	7.00	4.00	2.75	177.80	101.60	69.85	0.045	0.001	lbs	11.00 oz	0.312	15.43	247.15	011698	78781	4	156600	70	F	TAIWAN
7880-025	8-CONDUCTOR STD CABLE, 25'																				
	Packaged	3.50	3.50	2.25	88.90	88.90	57.15	0.016	0.000	lbs	9.50 oz	0.269	37.22	596.29	011698	78800	2	156600	70	F	TAIWAN
7880-050	8-CONDUCTOR STD CABLE, 50'																				
	Packaged	5.00	5.00	2.00	127.00	127.00	50.80	0.029	0.001	1 lbs	1.00 oz	0.482	36.72	588.21	011698	78801	9	156600	70	F	TAIWAN
7880-100	8-CONDUCTOR STD CABLE, 100'																				
	Packaged	6.00	6.00	3.00	152.40	152.40	76.20	0.063	0.002	2 lbs	5.50 oz	1.063	37.50	600.70	011698	78802	6	156600	70	F	TAIWAN
7903L	WIND CUPS, LARGE																				
	Packaged	8.00	6.00	1.75	203.20	152.40	44.45	0.049	0.001	0 lbs	1.28 oz	0.036	1.65	26.36	011698	79030	2	156600	100	C	USA
7904	ANEMOMETER WIND VANE																				
	Packaged	8.00	6.00	1.25	203.20	152.40	31.75	0.035	0.001	0 lbs	8.00 oz	0.227	14.40	230.67	011698	79031	9	156600	100	C	USA
7905L	WIND CUPS																				
	Packaged	8.00	6.00	1.75	203.20	152.40	44.45	0.049	0.001	0 lbs	1.60 oz	0.045	2.06	32.95	11698	00461	4	156600	100	C	USA
7911	ANEMOMETER - Straight Arm																				
	Packaged	17.25	5.75	2.38	438.15	146.05	60.45	0.137	0.004	1 lbs	11.52 oz	0.780	12.59	201.68	11698	79110	1	156600	85	C	USA
7940	CONSOLE MOUNTING BASE																				
	Packaged	6.00	6.00	2.00	152.40	152.40	50.80	0.042	0.001	0 lbs	2.24 oz	0.064	3.36	53.82	011698	79400	3	156600	100	C	USA
8415	LITHIUM BATTERY																				
	Packaged	4.00	3.00	0.63	101.60	76.20	15.88	0.004	0.000	0 lbs	0.64 oz	0.018	9.22	147.63	011698	84150	9	156600	100	C	USA
8434	USB-TO-SERIAL CABLE																				
	Packaged	8.25	5.50	1.50	209.55	139.70	38.10	0.039	0.001	0 lbs	4.16 oz	0.118	6.60	105.74	11698	00567	3	156600	150	C	
PROMOTIONAL AND MERCHANDISING PRODUCTS																					
DIS-6152	Vantage Pro Display with mock wireless console/receiver																				
	Packaged	17.75	11.87	11.25	450.85	301.50	285.75	1.372	0.039	12 lbs	8.00 oz	5.670	9.11	145.98	011698	00806	3	156600	100	C	USA
DIS-6152M	Vantage Pro Display with mock wireless console/receiver																				
	Packaged	17.75	11.57	11.25	450.85	293.88	285.75	1.337	0.038	12 lbs	8.00 oz	5.670	9.35	149.76	011698	00943	5	156600	100	C	USA
DIS-6250	Vantage Vue Display with mock wireless console/receiver																				
	Packaged	8.00	10.00	12.00	203.20	254.00	304.80	0.556	0.016	7 lbs	3.00 oz	3.260	12.94	207.24	011698	00939	8	156600	100	C	USA
DIS-6250M	Vantage Vue Display with mock wireless console/receiver - Metric																				
	Packaged	8.00	10.00	12.00	203.20	254.00	304.80	0.556	0.016	7 lbs	3.00 oz	3.260	12.94	207.24	011698	00940	4	156600	100	C	USA
6152D	Vantage Pro Display with working wireless console/receiver, ISS and Tripod																				
6152DEU	Vantage Pro Display with working wireless console/receiver, ISS and Tripod - EU																				
6152DUK	Vantage Pro Display with working wireless console/receiver, ISS and Tripod - UK																				
	Packaged	40.00	18.00	18.00	1016.00	457.20	457.20	7.500	0.212	42 lbs	0.00 oz	19.051	5.60	89.70							
6250D	Vantage Vue Display with working wireless console/receiver, ISS and Tripod																				
6250DEU	Vantage Vue Display with working wireless console/receiver, ISS and Tripod - EU																				
6250DUK	Vantage Vue Display with working wireless console/receiver, ISS and Tripod - UK																				
6250DM	Vantage Vue Display with working wireless console/receiver, ISS and Tripod - Metric																				
	Packaged	29.00	17.00	9.00	736.60	431.80	228.60	2.568	0.073	17 lbs	10.88 oz	8.020	6.89	110.30							
PR55	WEATHER CATALOG - CONSUMER (With Prices & Mail Order Blank)																				
	Product	11.00	8.50	0.13	279.40	215.90	3.30	0.007	0.000	0 lbs	3.20 oz	0.091	28.43	455.46					4850	60	I
	BOX (175 catalogs)	11.25	8.63	9.00	285.75	219.20	228.60	0.506	0.014	36 lbs	0.00 oz	16.330	71.19	1140.43	011698	00424	9				BOX
PR57	WEATHER CATALOG - OVERSEAS (No Prices or Mail Order Blank)																				
	Product	11.00	8.50	0.13	279.40	215.90	3.30	0.007	0.000	0 lbs	3.20 oz	0.091	28.43	455.46					4850	60	I
	BOX (200 catalogs)	11.25	8.63	9.00	285.75	219.20	228.60	0.506	0.014	42 lbs	0.00 oz	19.051	83.06	1330.50	011698	00426	3				BOX
PR70	DOMESTIC PRICE LIST																				
	Product (WEATHER)	8.50	11.00	0.01	215.90	279.40	0.13	0.000	0.000	0 lbs	0.01 oz	0.000	2.31	37.01	011698	00464	5	4850	60	I	USA