

Vantage Vue® Weather Station	EU	UK	OV	M	Product #	List Price
<b>Wireless</b>						
Vantage Vue	EU	UK		M	6250	\$425
Vantage Vue + WeatherLink Live™ Bundle (with console)	EU	UK		M	6120	\$645
<i>Includes Vantage Vue Sensor Suite, console and WeatherLink Live</i>						

Vantage Pro2™ Weather Stations	EU	UK	OV	M	Product #	List Price
<b>Cabled</b>						
Cabled Vantage Pro2	EU	UK		M	6152C	\$675
Cabled Vantage Pro2 Plus	EU	UK		M	6162C	\$1,145
<i>Includes UV &amp; Solar Radiation Sensors</i>						
<b>Wireless</b>						
Wireless Vantage Pro2	EU	UK		M	6152	\$725
Wireless Vantage Pro2 + WeatherLink Live™ Bundle (with console)	EU	UK		M	6122	\$945
<i>Includes wireless Vantage Pro2 Sensor Suite (6322), console and WeatherLink Live</i>						
Wireless Vantage Pro2 (w/o anemometer) + WeatherLink Live™ Bundle (w/o console)			OV	M	6124	\$585
<i>Includes wireless Vantage Pro2 Sensor Suite (6322W) and WeatherLink Live</i>						
Wireless Vantage Pro2 with 24-HR Fan-Aspirated Radiation Shield	EU	UK		M	6153	\$975
Wireless Vantage Pro2 Plus	EU	UK		M	6162	\$1,195
<i>Includes UV &amp; Solar Radiation Sensors</i>						
Wireless Vantage Pro2 Plus with 24-HR Fan-Aspirated Radiation Shield	EU	UK		M	6163	\$1,445
<i>Includes UV &amp; Solar Radiation Sensors</i>						

Sensor Suites	EU	UK	OV	M	Product #	List Price
<b>Cabled</b>						
<i>All cabled Sensor Suites are compatible with the Cabled Vantage Pro2 Console, Cabled Weather Envoy, Cabled Vantage Connect and EnviroMonitor.</i>						
Cabled Vantage Pro2 Sensor Suite				M	6322C	\$445
Cabled Vantage Pro2 Plus Sensor Suite				M	6327C	\$930
<i>Includes UV &amp; Solar Radiation Sensors</i>						
Cabled Vantage Pro2 GroWeather® Ag Focused Sensor Suite				M	6820C	\$670
<i>Includes Solar Radiation Sensor and Standard Radiation Shield</i>						
Cabled Vantage Pro2 GroWeather® Ag Focused Sensor Suite				M	6825C	\$925
<i>Includes Solar Radiation Sensor and 24-Hour Fan-Aspirated Radiation Shield</i>						
<b>Wireless</b>						
<i>All wireless Sensor Suites are compatible with Vantage Vue and Wireless Vantage Pro2 Consoles, WeatherLink Live, Wireless Weather Envoy, Wireless Vantage Connect and EnviroMonitor (except 6801, 6802A).</i>						
Vantage Vue Sensor Suite			OV	M	6357	\$275
Vantage Vue + WeatherLink Live Bundle (w/o console)	EU	UK		M	6110	\$495
<i>Includes Vantage Vue Sensor Suite and WeatherLink Live</i>						
Wireless Vantage Pro2 Sensor Suite			OV	M	6322	\$495
Wireless Vantage Pro2 Sensor Suite (w/o anemometer)			OV	M	6322W	\$350
Wireless Vantage Pro2 + WeatherLink Live Bundle (w/o console)	EU	UK		M	6112	\$715
<i>Includes wireless Vantage Pro2 Sensor Suite (6322) and WeatherLink Live</i>						
Wireless Vantage Pro2 Sensor Suite with 24-HR Fan-Aspirated Radiation Shield			OV	M	6323	\$750
Wireless Vantage Pro2 Plus Sensor Suite			OV	M	6327	\$980
<i>Includes UV &amp; Solar Radiation Sensors</i>						
Wireless Vantage Pro2 Plus Sensor Suite with 24-HR Fan-Aspirated Radiation Shield			OV	M	6328	\$1,225
<i>Includes UV &amp; Solar Radiation Sensors</i>						
Wireless Vantage Pro2 GroWeather® Ag Focused Sensor Suite			OV	M	6820	\$720
<i>Includes Solar Radiation Sensor and Standard Radiation Shield</i>						
Wireless Vantage Pro2 GroWeather® Ag Focused Sensor Suite			OV	M	6825	\$975
<i>Includes Solar Radiation Sensor and 24-Hour Fan-Aspirated Radiation Shield</i>						

### Consoles/Receivers

Cabled Vantage Pro2 Console/Receiver	EU	UK			6312C	\$295
Wireless Vantage Pro2 Console/Receiver	EU	UK			6312	\$295
Vantage Vue Console/Receiver	EU	UK		M	6351	\$195

### Sensor Transmitters and Wireless Leaf Wetness Soil Moisture/Temperature Stations

All Sensor Transmitters and Wireless Leaf Wetness Soil Moisture/Temperature Stations are compatible with Wireless Vantage Pro2 Console/Receivers, WeatherLink Live, Wireless Weather Envoy and Wireless Vantage Connect.

AC Powered Wireless Sensor Transmitter <i>See <b>ST</b> for compatible sensors.</i>	EU	UK			6331	\$155
Solar-Powered Wireless Sensor Transmitter <i>See <b>ST</b> for compatible sensors. Formerly Anemometer Transmitter Kit.</i>			OV		6332	\$175
Wireless Leaf Wetness & Soil Moisture/Temperature Station <i>Without sensors. See <b>SM</b> for compatible sensors.</i>			OV		6345	\$260
Complete Wireless Soil Moisture/Temperature Station <i>With sensors. See <b>SM</b> for included sensors.</i>			OV		6345CS	\$675

### Sensors

All sensors are compatible with Vantage Pro2 products.

<b>ST</b> <b>EM</b> Anemometer* <i>Vantage Pro2 style</i>					6410	\$170
<b>ST</b> <b>EM</b> Sonic Anemometer*					6415	\$495
<b>SM</b> <b>EM</b> Leaf Wetness Sensor*					6420	\$140
<b>SM</b> <b>EM</b> Soil Moisture Sensor					6440	\$70
<b>ST</b> <b>EM</b> Solar Radiation Sensor*					6450	\$195
<b>SM</b> <b>EM</b> Stainless Steel Temperature Probe with Two-Wire Termination					6470	\$65
<b>ST</b> <b>EM</b> Stainless Steel Temperature Probe with RJ Connector* <i>Use with 6316 Weather Envoy and Vantage Connect</i>					6475	\$55
<b>ST</b> <b>EM</b> Temperature Probe with RJ Connector* <i>Use with 6316 Weather Envoy and Vantage Connect</i>					6477	\$30
<b>ST</b> UV Sensor					6490	\$395
<b>ST</b> <b>EM</b> Temperature/Humidity Sensor with Radiation Shield*					6830	\$135
<b>ST</b> <b>EM</b> Temperature/Humidity Sensor with 24-Hour Fan-Aspirated Radiation Shield*					6832	\$375
<b>ST</b> <b>EM</b> Temperature/Humidity Sensor*					6834	\$75
<b>ST</b> <b>EM</b> AeroCone Rain Collector (flat surface mount with tipping spoon) <i>US is 0.01" per tip, metric is 0,2 mm per tip</i>				M	6464	\$105
<b>ST</b> <b>EM</b> AeroCone Rain Collector (VP2 Base for Pole or Post mount with tipping spoon) <i>US is 0.01" per tip, metric is 0,2 mm per tip</i>				M	6466	\$115
AeroCone Rain Collector Cone Replacement Kit, with logo					6462	\$40
AeroCone Rain Collector Cone Replacement Kit, no logo					6461	\$40
Anemometer <i>Straight arm</i>					7911	\$170
<b>EM</b> RJ Connector EnviroMonitor Node Adaptor					6860	\$9
<b>EM</b> Sentek, Single Point - Top Cable					6441.0110	\$300
<b>EM</b> Sentek, Single Point TriScan - Top Cable					6441.0160	\$400
<b>EM</b> Sentek, 12" (30 cm) Drill & Drop Probe - Removable Cable					6441.0322	\$625
<b>EM</b> Sentek, 12" (30 cm) TriScan Drill & Drop Probe - Removable Cable					6441.0377	\$775
<b>EM</b> Sentek, 24" (60 cm) Drill & Drop Probe - Removable Cable					6441.0623	\$950
<b>EM</b> Sentek, 24" (60 cm) TriScan Drill & Drop Probe - Removable Cable					6441.0677	\$1,175
<b>EM</b> Sentek, 36" (90 cm) Drill & Drop Probe - Removable Cable					6441.0916	\$1,225
<b>EM</b> Sentek, 36" (90 cm) TriScan Drill & Drop Probe - Removable Cable					6441.0947	\$1,475
<b>EM</b> Sentek, 48" (120 cm) Drill & Drop Probe - Removable Cable					6441.1222	\$1,525
<b>EM</b> Sentek, 48" (120 cm) TriScan Drill & Drop Probe - Removable Cable					6441.1277	\$1,825
<b>EM</b> Sentek, Installation Kit, Drill & Drop Excluding Auger					6441.7026	\$1,450
<b>EM</b> Sentek, Installation Kit, Drill & Drop Excluding Auger (Plastic)					6441.7028	\$450
<b>EM</b> Sentek, Probe Extraction Tool Including Chain, Drill & Drop					6441.7022	\$500

\* Sensor comes with RJ Connector. RJ Connector Node Adaptor (part #6860) needed when using with EnviroMonitor.

Sensors and Accessories (continued)		EU	UK	OV	M	Product #	List Price
EM	Sentek, Tapered Auger 12" (30 cm), Drill & Drop					6441.7103	\$325
EM	Sentek, Tapered Auger 24" (60 cm), Drill & Drop					6441.7106	\$350
EM	Sentek, Tapered Auger 36" (90 cm), Drill & Drop					6441.7109	\$400
EM	Sentek, Tapered Auger 48" (120 cm), Drill & Drop					6441.7112	\$450

### Maintenance Parts

	Wind Vane, D-Shaft with logo <i>For use with manufacturing code AF and AJ or later (beginning approximately Spring 2013)</i>					7906L	\$15
	Wind Vane, Round Shaft, no logo <i>For anemometers manufactured before Spring 2013</i>					7904	\$15
	Wind Cups, horizontal magnet <i>For anemometers manufactured Spring 2003 or later</i>					7905L	\$15
	Motor Kit, w/o batteries <i>For Daytime and 24-Hour models</i>					7758	\$60
	Motor Kit, with batteries <i>For 24-Hour models</i>					7758B	\$75

Installation Options		EU	UK	OV	M	Product #	List Price
----------------------	--	----	----	----	---	-----------	------------

### Installation Options

	Universal Shelter					6618	\$100
ST EM	Universal Mounting Bracket <i>For mounting a Solar Radiation Sensor, a UV Sensor, or a Radiation Shield (7714)</i>					6670	\$30
EM	Shelter Angle Bracket <i>Changes solar panel's angle to 30 degrees. For Vantage Connect, EnviroMonitor Gateway, and related shelters</i>					6671	\$35
	Sensor Mounting Shelf <i>For Solar Radiation and UV Sensors</i>					6673	\$35
EM	Optional AC Charger Kit <i>For Vantage Connect, EnviroMonitor Cellular Gateway, and Heavy Duty Solar Power Kit</i>					6710	\$45
	Optional USB Power Cord <i>For Vantage Vue Console/Receiver, Vantage Pro2 Console/Receiver, Weather Envoy</i>					6627	\$10
EM	Optional AC Power Kit for Node <i>For EnviroMonitor Node</i>					6714	\$45
EM	Mounting Tripod					7716	\$135
EM	Mounting Tripod <i>With three 18" (0,5 m) lag bolts</i>					7716A	\$150
EM	Mounting Pole Kit					7717	\$50
	Rain Collector Heater (for stations with old style rain collector) <i>Includes heater parts only</i>	EU	UK			7720	\$225
	Rain Collector and Heater (replaces AeroCone Rain Collector) <i>Includes old style rain collector and heater parts (Rain Collector Heater is incompatible with AeroCone)</i>	EU	UK			7721	\$260

### Radiation Shields

	Radiation Shield <i>For Temperature Sensor</i>					7714	\$90
	Daytime Fan-Aspirated Radiation Shield Kit <i>For Vantage Pro2</i>					7747	\$160
	24-Hour Fan-Aspirated Radiation Shield, no sensor					6838	\$345

### Solar Power Kits

*Provides additional power to consoles and Envoy's in remote settings.*

	Heavy Duty Solar Power Kit					6612	\$325
EM	Solar Power Kit					6614	\$295
EM	Extra Solar Panel Kit <i>Provides additional charging to the 6612 Heavy Duty Solar Power Kit, the 6614 Solar Power Kit, Vantage Connect and EnviroMonitor Gateway</i>					6616	\$190

Installation Options (continued)	EU	UK	OV	M	Product #	List Price
----------------------------------	----	----	----	---	-----------	------------

**Repeaters and Antennas**

Standard Wireless Repeater, Solar-Powered			OV		7627	\$275
Long-Range Repeater, Solar-Powered			OV		7654	\$350
Omni Antenna					7656	\$225
<i>For 7654 Long-Range Repeater, US model only</i>						
Yagi Antenna					7660	\$195
<i>For 7654 Long-Range Repeater, US model only.</i>						
 EnviroMonitor Long-Range Antenna, 5 dBi					7676	\$100
 EnviroMonitor Long-Range Antenna, 8 dBi					7678	\$195

**Batteries**

3-volt Lithium Battery CR123					8415	\$8
6-volt 12Ah Battery					6712	\$75

Extension Cables	EU	UK	OV	M	Product #	List Price
------------------	----	----	----	---	-----------	------------

**Standard Cables**

Standard 4-Conductor Cable, 8' (2,4 m)					7876-008	\$25
Standard 4-Conductor Cable, 40' (12 m)					7876-040	\$30
Standard 4-Conductor Cable, 100' (30 m)					7876-100	\$50
Standard 4-Conductor Cable, 200' (61 m)					7876-200	\$80
Long-Range Antenna RP-SMA Cable, 25' (7,6 m)					7692-025	\$50





Related Products	EU	UK	OV	M	Product #	List Price
------------------	----	----	----	---	-----------	------------

**Wind Meters**

Turbo Meter™					271	\$165
Turbo Meter (NIST-traceable)					271C	\$250

NIST-Traceable Sensor Services	EU	UK	OV	M	Product #	List Price
--------------------------------	----	----	----	---	-----------	------------

**NIST Pricing and Availability:** NIST prices shown are net and are not discountable. NIST-Traceability services are not available from mid-March to mid-April for recalibration of NIST reference standard equipment.

Multi-Sensor Package: Anemometer, Barometer, Outside Humidity, Outside Temperature, Rain (0.01")					6000	\$300
Multi-Sensor Package, Metric: Anemometer, Barometer, Outside Humidity, Outside Temperature and Rain (0,2 mm)					6000M	\$300
Anemometer, ± 2 mph (0,9 m/s) below 40 mph (18,0 m/s); ± 5% above 40 mph (18,0 m/s)					6020	\$100
Checked at 6, 12, 25, 40 and 75 mph (2,7; 5,4; 11,2; 18,0 and 33,5 m/s).						
Additional Wind Speed Points, ± 2 mph (0,9 m/s) below 40 mph (18,0 m/s); ± 5% above 40 mph (18,0 m/s)					6022	\$10
 Barometer, Vantage Pro2/Vantage Vue: ± 0.03" Hg (± 0,8 mm Hg, 1.0 mb or 1.0 hPa);					6030	\$100
 Inside Humidity, ± 2%					6040	\$75
 Inside Temperature, ± 0.5°F (± 0,3°C) between +32°F and +140°F (0°C and +60°C)					6050	\$75
Outside Temperature, ± 0.5°F (± 0,3°C) between -40°F and +140°F (-40°C and +60°C)					6055	\$75
Additional Outside Temperature Points, ± 1°F (± 0.5°C)					6057	\$10
Outside Temperature/Humidity, for temperature see "Outside Temperature," for humidity ± 2%					6060	\$100
Rain Collector, ± 3% plus 1 tip (rain rate of up to 10"/hr or 254 mm/hr)				M	6070	\$75
TurboMeter NIST					6095	\$90
 Vantage Vue: NIST-Traceable sensors include inside temperature, inside humidity and barometer only.						

<b>AirLink™</b>	<b>EU</b>	<b>UK</b>	<b>OV</b>	<b>M</b>	<b>Product #</b>	<b>List Price</b>
<b>AirLink Air Quality Monitor: Particulate Matter</b>						
AirLink	EU	UK			<b>7210</b>	<b>\$195</b>
AirLink (with USB cable only)					<b>7210USB</b>	<b>\$195</b>
AirLink Particulate Matter Monitor Replacement Kit					<b>7220</b>	<b>\$70</b>

<b>Data Collection</b>	<b>EU</b>	<b>UK</b>	<b>OV</b>	<b>M</b>	<b>Product #</b>	<b>List Price</b>
<b>WeatherLink Live™</b>						
WeatherLink Live	EU	UK			<b>6100</b>	<b>\$265</b>
WeatherLink Live (with USB cable only)					<b>6100USB</b>	<b>\$265</b>
<b>WeatherLink Data Loggers</b>						
WeatherLink Serial Data Logger					<b>6510SER</b>	<b>\$185</b>
WeatherLink USB Data Logger					<b>6510USB</b>	<b>\$185</b>
<b>Weather Envoy</b>						
Cabled Weather Envoy	EU	UK			<b>6316C</b>	<b>\$185</b>
Wireless Weather Envoy	EU	UK			<b>6316</b>	<b>\$195</b>
USB-to-Serial Cable (for Windows 7 and earlier)					<b>8434</b>	<b>\$20</b>
USB-to-Serial Cable (for Windows 7 and later)					<b>8435</b>	<b>\$20</b>

<b>WeatherLink®</b>	<b>EU</b>	<b>UK</b>	<b>OV</b>	<b>M</b>	<b>Product #</b>	<b>List Price</b>
---------------------	-----------	-----------	-----------	----------	------------------	-------------------

All WeatherLink models are compatible with Vantage Vue, Vantage Pro2 and Weather Envoy (where noted).

#### WeatherLink Service Plans

Store your weather data in the WeatherLink Cloud and see the data live on any connected device.

1-year WeatherLink Pro Device Upgrade <i>Access to current conditions, historical data, bulletin, map, chart, data, and Mobilize</i>					<b>6561</b>	<b>\$47.40</b>
1-year WeatherLink Pro+ Device Upgrade <i>Access to Pro+ Features, including IPM, 1-minute uploads and additional Pro+ shares</i>					<b>6562</b>	<b>\$107.40</b>
3-year WeatherLink Pro Device Upgrade <i>Access to current conditions, historical data, bulletin, map, chart, data, and Mobilize</i>					<b>6561A</b>	<b>\$120.60</b>
3-year WeatherLink Pro+ Device Upgrade <i>Access to Pro+ Features, including IPM, 1-minute uploads and additional Pro+ shares</i>					<b>6562A</b>	<b>\$275.40</b>

#### WeatherLink Add-Ons

PC Desktop versions of IPM have been discontinued. IPM is now available on the Mobilize app with a Pro+ user upgrade on WeatherLink.com.

<b>Software Partnerships</b>	<b>EU</b>	<b>UK</b>	<b>OV</b>	<b>M</b>	<b>Product #</b>	<b>List Price</b>
<b>Pessl FieldClimate</b>						
<i>Compatible with EnviroMonitor or Vantage Connect systems, or WeatherLink Live with Pro upgrade.</i>						
Pessl FieldClimate with Hyper-Local Weather Forecast					<b>11121</b>	<b>\$345</b>
Pessl FieldClimate with Pest Modeling					<b>11123</b>	<b>\$245</b>
Pessl FieldClimate with Hyper-Local Weather Forecast & Pest Modeling					<b>11125</b>	<b>\$395</b>

The cellular EnviroMonitor Gateways include a SIM card and cellular modem. All EnviroMonitor Gateways require a service plan and activation fee (each sold separately) along with internet access to view data. The Gateway pairs with EnviroMonitor Nodes and the IP Gateway can pair with any sensor suite, while the cellular Gateway works with any cabled sensor suite.

**EnviroMonitor Gateway**

Wireless Gateway, Cellular (2G/3G)				<b>6801</b>	<b>\$925</b>
Wireless Gateway, Cellular (Australia, 2G/3G)				<b>6801AU</b>	<b>\$925</b>
Wireless Gateway, Cellular (Brazil, 2G/3G)				<b>6801BR</b>	<b>\$925</b>
Wireless Gateway, Cellular (Canada, 2G/3G)				<b>6801CA</b>	<b>\$925</b>
Wireless Gateway, Cellular (New Zealand, 2G/3G)				<b>6801NZ</b>	<b>\$925</b>
Wireless Gateway, Cellular (US, LTE)				<b>6802A</b>	<b>\$925</b>
IP Gateway, Wi-Fi/Ethernet	EU	UK		<b>6805</b>	<b>\$625</b>
IP Gateway, Wi-Fi/Ethernet (with USB cable only)				<b>6805USB</b>	<b>\$625</b>
Gateway Activation Fee				<b>6645</b>	<b>\$30</b>

**EnviroMonitor Node**

Wireless Node (all countries)				<b>6810</b>	<b>\$400</b>
-------------------------------	--	--	--	-------------	--------------

**Annual Service Plans**

A 12-month service agreement is required to use each Gateway and billed at activation. Regional pricing and update interval options are listed below. All service plans include connectivity (cellular or Wi-Fi), data storage, WeatherLink.com account and alarms with email and cell phone notifications.

**Some countries may have higher costs. Please contact us to verify product codes and pricing.**

EnviroMonitor Region	Update Interval	Gateway Plan Product Number & Annual Price Per Gateway	
<b>US, LTE</b>	5 minutes	<b>6892</b>	<b>\$280</b>
	15 minutes	<b>6894</b>	<b>\$220</b>
	60 minutes	<b>6896</b>	<b>\$160</b>
<b>Region A-EM (2G/3G)</b> US, Canada & Europe	5 minutes	<b>6892A</b>	<b>\$320</b>
	15 minutes	<b>6894A</b>	<b>\$260</b>
	60 minutes	<b>6896A</b>	<b>\$200</b>
<b>Region B-EM (2G/3G)</b> Mexico, Central & South America, Asia	5 minutes	<b>6892B</b>	<b>\$380</b>
	15 minutes	<b>6894B</b>	<b>\$330</b>
	60 minutes	<b>6896B</b>	<b>\$280</b>
<b>Region C-EM (2G/3G)</b> Africa & Middle East	5 minutes	<b>6892C</b>	<b>\$750</b>
	15 minutes	<b>6894C</b>	<b>\$650</b>
	60 minutes	<b>6896C</b>	<b>\$360</b>
<b>Global, IP Gateway</b> Wi-Fi/Ethernet	5 minutes	<b>6892D</b>	<b>\$180</b>
	15 minutes	<b>6894D</b>	<b>\$156</b>
	60 minutes	<b>6896D</b>	<b>\$132</b>

Vantage Connect includes SIM card, cellular modem and downloadable WeatherLink® Computer Software. Requires Windows-based PC\*, a service plan and Internet access to view data. Activation fee (#6645) is required and is sold separately. Vantage Connect pairs with either Vantage Pro2 or Vantage Vue sensor suites and is compatible with Sensor Transmitters and Wireless Leaf Wetness Soil Moisture/Temperature stations.

**Cabled**

Cabled Vantage Connect (US, GSM-2G & 3G)				<b>6622C</b>	<b>\$925</b>
--	--	--	--	--------------	--------------

**Wireless**

Wireless Vantage Connect (US, GSM-2G & 3G 902-928 MHz)				<b>6622</b>	<b>\$925</b>
Wireless Vantage Connect (Americas, GSM-2G & 3G 902-928 MHz)				<b>6622S</b>	<b>\$925</b>
Wireless Vantage Connect (International, GSM-2G & 3G 868.0-868.6 MHz)				<b>6622OV</b>	<b>\$925</b>
Wireless Vantage Connect (International, GSM-2G & 3G 868.0-868.6 MHz)				<b>6622SOV</b>	<b>\$925</b>



**Special Cellular** - Add country code to product number:

Australia (AU), Canada (CA), Brazil (BR), India (ND), Japan (JP), New Zealand (NZ), Peru (PE)

Example: Canada Cable GSM-2G & 3G should be written as 6622CCA

**Activation Fee**

Vantage Connect Activation Fee

**6645**

**\$30**

*\*Please note: WeatherLink Computer Software for Mac does not support Vantage Connect. WeatherLink for Mac users can access their data from a web browser but will not be able to download archived data to the computer.*

**Service Plans**

*Regional pricing and update interval options are listed below. All service plans include cellular connection, data storage, WeatherLink.com account (Pro feature set) and alarms with email and cell phone notification.*

*Some countries may have higher costs. Please contact us to verify product codes and pricing.*

Vantage Connect Region	Update Interval	Vantage Connect Plan Product Number	Annual Cost
<b>Region A-VC</b> US, Mexico, Europe, Central America, South America, Asia, New Zealand, Australia	5 minutes	<b>6632A</b>	<b>\$240</b>
	15 minutes	<b>6634A</b>	<b>\$180</b>
	60 minutes	<b>6636A</b>	<b>\$120</b>
<b>Region B-VC</b> Canada & Brazil	5 minutes	<b>6632B</b>	<b>\$276</b>
	15 minutes	<b>6634B</b>	<b>\$216</b>
	60 minutes	<b>6636B</b>	<b>\$156</b>

*A 12-month service agreement is required to use Vantage Connect. You must sign a Service Plan Agreement with Davis before purchasing plans. Upon purchase, activation codes will be sent to you by email. You can forward activation codes to your customers as they purchase plans from you. Your customer will enter the activation code, Vantage Connect Device ID (DID) and key during registration on WeatherLink.com to activate service.*