



Weights and Measures

DATE: 12/18/2020

Table with columns: Product #, Description, DIMENSIONS (INCHES, MM), VOLUME (ft^3, m^3), WEIGHT (lbs, oz, kg), DENSITY (lb/ft^3, kg/m^3), UPC - CODE (Prefix, Suffix), SHIPPING (NMFC #, RATE, Davis #), Mfg Origin, PACK TYPE. Rows include various sensor models like WIRELESS VANTAGE PRO2 PLUS and CABLED VANTAGE PRO2 PLUS.



Weights and Measures

DATE: 12/18/2020		DIMENSIONS						VOLUME		WEIGHT				DENSITY		UPC - C CODE			SHIPPING			Mfg	PACK
Product #	Description	INCHES			MM			ft^3	m^3	lbs	oz	kg	lb/ft^3	kg/m^3	Prefix	Suffix		NMFC #	RATE	Davis #	Origin	TYPE	
		L	W	H	L	W	H																
	Packaged	6.00	4.25	3.25	152.40	107.95	82.55	0.048	0.001	lbs	5.44	oz	0.154	7.09	113.56	011698	00243	6	#VALUE!	100	C	USA	BOX
6510SER	WEATHERLINK FOR VANTAGE PRO2, with Data Logger for Windows, Serial Port																						
	Packaged	9.00	6.00	1.63	228.60	152.40	41.28	0.051	0.001	lbs	8.00	oz	0.227	9.85	157.72	011698	00726	4	156300	60	S	USA	BOX
6510USB	WEATHERLINK FOR VANTAGE PRO2, with Data Logger for Windows, USB																						
	Packaged	9.00	6.00	1.63	228.60	152.40	41.28	0.051	0.001	lbs	8.00	oz	0.227	9.85	157.72	011698	00727	1	156300	60	S	USA	BOX
6612	Battery, 6V, 12 AMPS, SLA																						
	Packaged	5.50	15.00	11.50	139.70	381.00	292.10	0.549	0.016	10 lbs	3.20	oz	4.627	18.58	297.59	011698	00980	0	156600	100	C	USA	BOX
6613	SOLAR PWR KIT W/12AH BAT																						
	Packaged (double)	6.00	6.00	3.00	152.40	152.40	76.20	0.063	0.002	4 lbs	2.00	oz	1.871	66.00	1057.24	011698	01358	6	156600	100	C	USA	BOX
6614	SOLAR PWR KIT W/1.40Ah BT																						
	Packaged (double)	5.50	15.00	11.50	139.70	381.00	292.10	0.549	0.016	6 lbs	11.20	oz	3.039	12.20	195.48	011698	00981	7	156600	100	C	USA	BOX
6616	SHELTER, EXTRA SOLAR PNL																						
	Packaged (double)	4.25	14.00	10.00	107.95	355.60	254.00	0.344	0.010	4 lbs	6.40	oz	1.996	12.78	204.70	011698	00982	4	156600	100	C	USA	BOX
6618	UNIVERSAL SHELTER																						
	Packaged	4.25	14.00	10.00	107.95	355.60	254.00	0.344	0.010	3 lbs	4.00	oz	1.474	9.44	151.20	011698	00981	7	156600	100	C	USA	BOX



Weights and Measures

DATE: 12/18/2020		DIMENSIONS						VOLUME		WEIGHT			DENSITY		UPC - CODE		SHIPPING			Mfg	PACK	
Product	Description	INCHES			MM			ft^3	m^3	lbs	oz	kg	lb/ft^3	kg/m^3	Prefix	Suffix		NMFC	RATE	Davis	Origin	TYPE
#		L	W	H	L	W	H										#		#			
6622	VANTAGE CONNECT - GSM/3G														011698	01167	4					
6622AU	VANTAGE CONNECT - GSM/3G														011698	01170	4					
6622BR	VANTAGE CONNECT - GSM/3G														011698	01181	0					
6622CA	VANTAGE CONNECT - GSM/3G														011698	01168	1					
6622G	VANTAGE CONNECT - GSM/3G														011698	01252	7					
6622JP	VANTAGE CONNECT - GSM/3G														011698	01179	7					
6622NZ	VANTAGE CONNECT - GSM/3G														011698	01180	3					
6622ND	VANTAGE CONNECT - GSM/3G														011698	01251	0					
6622OV	VANTAGE CONNECT - GSM/3G														011698	01253	4					
6622RU	VANTAGE CONNECT - GSM/3G														011698	01357	9					
6622S	VANTAGE CONNECT - GSM/3G														011698	01249	7					
6622SOV	VANTAGE CONNECT - GSM/3G														011698	01250	3					
6622P	VANTAGE CONNECT - GSM/3G														011698	01254	1					
6622C	VANTAGE CONNECT- Cabled, GSM/3G														011698	01248	0					
6622CAU	VANTAGE CONNECT- Cabled, GSM/3G														011698	01257	2					
6622CBR	VANTAGE CONNECT- Cabled, GSM/3G														011698	01245	9					
6622CCA	VANTAGE CONNECT- Cabled, GSM/3G														011698	01256	5					
6622CNZ	VANTAGE CONNECT- Cabled, GSM/3G														011698	01258	9					
6622CND	VANTAGE CONNECT- Cabled, GSM/3G														011698	01259	6					
6622CS	VANTAGE CONNECT- Cabled, GSM/3G														011698	01255	8					
	Packaged	5.50	15.00	11.50	139.70	381.00	292.10	0.549	0.016	10	lbs	10.20	oz	4.825	19.37	310.36		156600	100	C	USA	BOX
6627	USB Power Cable for Vantage Pro2 & Vantage Vue Consoles/Envoy														011698	01301	2					
	Packaged	6.50	4.00	1.00	165.10	101.60	25.40	0.015	0.000		lbs	2.00	oz	0.057	8.31	133.08		156600	100	C	China	BAG
6670	Universal Sensor Mounting Bracket														011698	01330	2					
	Packaged	7.00	4.00	3.00	177.80	101.60	76.20	0.049	0.001		lbs	13.30	oz	0.377	17.10	273.92		156600	100	C	Taiwan	BAG
6671	Angle Bracket For Shelter														011698	01331	9					
	Packaged	6.00	4.00	2.00	152.40	101.60	50.80	0.028	0.001		lbs	13.00	oz	0.369	29.25	468.55		156600	100	C	Taiwan	BAG
6673	SENSOR MOUNTING SHELF for Solar Radiation & UV Sensors														011698	00267	2	95190	70	L	USA	BOX
	Packaged	6.00	4.25	3.25	152.40	107.95	82.55	0.048	0.001		lbs	7.40	oz	0.210	9.64	154.48						
6710	OPTIONAL AC CHARGER KIT FOR VANTAGE CONNECT & HEAVY DUTY SOLAR POWER KIT														011698	01004	2					
	Packaged	6.25	4.25	2.25	158.75	107.95	57.15	0.035	0.001	0	lbs	4.80	oz	0.136	8.67	138.94		156600	110	C	USA	BOX
6714	AC Power Kit, EnviroMonitor Node														011698	01390	6					
	Packaged	6.75	4.25	2.25	171.45	107.95	57.15	0.037	0.001	0	lbs	4.80	oz	0.136	8.03	128.65		156600	110	C	USA	BOX
6801	EnviroMonitor Gateway, HSPA														011698	01283	1					
6801AU	EnviroMonitor Gateway, HSPA														011698	01284	8					
6801BR	EnviroMonitor Gateway, HSPA														011698	01313	5					
6801CA	EnviroMonitor Gateway, HSPA														011698	01314	2					
6801G	EnviroMonitor Gateway, HSPA														011698	01341	8					
6801NZ	EnviroMonitor Gateway, HSPA														011698	01312	8					
	Packaged	5.50	15.00	11.50	139.70	381.00	292.10	0.549	0.016	10	lbs	10.20	oz	4.825	19.37	310.36		156600	100	C	USA	BOX
6802	EnviroMonitor Gateway, LTE-M, US														011698	01393	7					
	Packaged	5.50	15.00	11.50	139.70	381.00	292.10	0.549	0.016	10	lbs	10.20	oz	4.825	19.37	310.36		156600	100	C	USA	BOX
6803	EnviroMonitor Gateway, LTE														011698	01358	6					
	Packaged	5.50	15.00	11.50	139.70	381.00	292.10	0.549	0.016	10	lbs	10.20	oz	4.825	19.37	310.36		156600	100	C	USA	BOX
6805	EnviroMonitor Ethernet Gateway														011698	01336	4					
	Packaged	18.00	15.13	7.00	457.20	384.18	177.80	1.103	0.031	5	lbs	8.00	oz	2.495	4.99	79.89		156600	100	C	USA	BOX
6810	EnviroMonitor Node														011698	01261	9					
	Packaged	13.00	10.13	7.00	330.20	257.18	177.80	0.533	0.015	5	lbs	5.76	oz	2.431	10.05	161.03		156600	100	C	USA	BOX
6820	Vantage Pro2, GroWeather Wireless ISS, no Fan														011698	01277	0					
6820AU	Vantage Pro2, GroWeather Wireless ISS, no Fan, AU														011698	01325	8					
6820OV	Vantage Pro2, GroWeather Wireless ISS, no Fan, OV														011698	01279	4					
	Packaged	17.50	10.63	16.00	444.50	269.88	406.40	1.722	0.049	10	lbs	11.20	oz	4.854	6.21	99.56		156600	100	C	USA	BOX
6820C	Vantage Pro2, GroWeather Cabled ISS, no Fan														011698	01278	7					
6820CM	Vantage Pro2, GroWeather Cabled ISS, no Fan														011698	01281	7					
6820NZ	Vantage Pro2, GroWeather Cabled ISS, no Fan														011698	01311	1					
	Packaged	17.50	10.63	16.00	444.50	269.88	406.40	1.722	0.049	11	lbs	15.00	oz	5.415	6.93	111.07		156600	100	C	USA	BOX

