

Vantage Vue®	EU	UK	OV	M	Product #	List Price
Console						
Vantage Vue Console/Receiver (with power adapter)	EU	UK		M	6351	\$195
Power Adapter	EU	UK			6625	\$25
<i>Also compatible with Vantage Pro2 Console/Receiver</i>						
Bumpers (clear plastic feet for console base; set of two)					7194.050	\$2
Kickstand					7342.184	\$2
<i>For Vantage Vue Console/Receiver</i>						
Battery Door For Vantage Vue Console/Receiver					7342.185	\$2
Rubber Feet (black slit rubber for kickstand; set of two)					7342.801	\$2
LCD Module					7365.009	\$110
<i>For Vantage Vue Console/Receiver</i>						
Dipole Antenna, 915Mhz					7367.210	\$10
<i>For wireless Vantage Pro2 and Vantage Vue Console/Receiver and Sensor Suite</i>						
Dipole Antenna, 868Mhz					7367.211	\$10
<i>For wireless Vantage Pro2 and Vantage Vue Console/Receiver and Sensor Suite</i>						
Wireless Sensor Suite (Compatible with all versions)						
Wind Cups					7342.178	\$15
Debris Screen for Rain Collector					7342.199	\$2
Wind Speed Cartridge					7345.271	\$20
Rain Tipping Spoon Assembly, US					7345.280	\$20
Wind Vane					7345.297	\$15
Rain Tipping Spoon Assembly, metric					7345.319	\$20
Bubble Level					7350.506	\$2
Captive Thumb Screw					7353.052	\$2
Allen Wrench, 0.05" (1,27 mm)					7802.090	\$2
3-volt Lithium Battery CR123					8415	\$8
Sensor Suite with manufacturing codes A-F						
Plastic Cover					7342.166	\$2
<i>For Temperature/Humidity/Wind Reed Switch PCBA</i>						
Plastic Cover					7342.189	\$2
<i>For Battery/Rain Reed Switch PCBA</i>						
Wind Direction Cartridge					7345.274	\$20
PCBA					7345.293	\$40
<i>For Battery/Rain Reed Switch</i>						
Battery Door with Thumb Screw					7345.346	\$2
Sensor Suite with manufacturing code G						
Plastic Cover					7342.166	\$2
<i>For Temperature/Humidity/Wind Reed Switch PCBA</i>						
Plastic Cover					7342.189	\$2
<i>For Battery/Rain Reed Switch PCBA</i>						
Wind Direction Cartridge					7345.274	\$20
Battery Door with Thumb Screw					7345.346	\$2
Sensor Suite with manufacturing code M and later						
Plastic Cover					7342.253	\$2
<i>For Temperature/Humidity/Wind Reed Switch PCBA</i>						
Plastic Cover					7342.254	\$2
<i>For Battery/Rain Reed Switch PCBA</i>						
Wind Direction Cartridge					7345.395	\$20
Battery Door with Thumb Screw					7345.409	\$2
PCBA					7345.916	\$235
<i>For wireless Sensor Suite, US</i>						
PCBA					7345.917	\$235
<i>For wireless Sensor Suite, OV</i>						

Vantage Pro2™	EU	UK	OV	M	Product #	List Price
Console						
Vantage Pro2 Wireless Console/Receiver (includes power adapter)	EU	UK			6312	\$295
Vantage Pro2 Cabled Console/Receiver (includes power adapter)	EU	UK			6312C	\$295
Power Adapter	EU	UK			6625	\$25
<i>Also compatible with Vantage Vue Console/Receiver</i>						
Bumpers (clear plastic feet for console base; set of two)					7194.050	\$2
Battery Door					7342.702	\$3
<i>For Vantage Pro2 Console/Receiver</i>						
Kickstand Hinge Arm					7342.703	\$7
<i>For Vantage Pro2 Console/Receiver</i>						
Kickstand					7342.704	\$7
<i>For Vantage Pro2 Console/Receiver</i>						
Rubber Feet (black slit rubber for kickstand, set of two)					7342.801	\$2
Rear Assembly					7345.599	\$20
<i>Includes kickstand and battery door for Vantage Pro2 Console/Receiver</i>						
Console PCBA, EU/UK model					7346.047	\$210
<i>For wireless Vantage Pro2, OV model</i>						
Console PCBA, US model					7346.050	\$210
<i>For wireless Vantage Pro2, US model</i>						
LCD Module					7365.100	\$130
<i>For Vantage Pro2 Console</i>						
Dipole Antenna, 915Mhz					7367.210	\$10
<i>For wireless Vantage Pro2 and Vantage Vue Console and Transmitter</i>						
Dipole Antenna, 868 Mhz					7367.211	\$10
<i>For wireless Vantage Pro2 and Vantage Vue Console and Transmitter</i>						
Cabled Sensor Suite						
Rain Collector Base without tipping bucket assembly					7342.074	\$20
<i>Vantage Pro2 style</i>						
PCBA					7345.977	\$215
<i>For cabled Vantage Pro2 Sensor Suite manufactured before January 2016</i>						
PCBA					7345.950	\$215
<i>For cabled Vantage Pro2 Sensor Suite manufactured January 2016 or later</i>						
Sensor Suite Installation Hardware Kit					7345.523	\$20
<i>For all Vantage Pro2 models, no battery included</i>						

Please Note: Some products are available in multiple versions made for sale in various countries.

To order an EU, UK, OV or M product, add the appropriate suffix to the product number (for example, 6312EU).

AU, BR, JP, ND, PE, G, OV, NZ, S and SOV parts and products are reserved for authorized customers only and are not available to North American resellers.

The US versions of Davis systems operate on a frequency that is illegal in many international countries.

Vantage Pro2™ (continued)

EU UK OV M Product # List Price

Wireless Sensor Suite

Rain Collector Base without tipping bucket assembly <i>Vantage Pro2 style</i>	7342.074	\$20
Sensor Suite Installation Hardware Kit <i>For all Vantage Pro2 models, no battery included</i>	7345.522	\$20
PCBA <i>For wireless Vantage Pro2 Sensor Suite manufactured before January 2016, US</i>	7345.976	\$215
PCBA <i>For wireless Vantage Pro2 Sensor Suite manufactured January 2016 and later, US</i>	7345.951	\$215
PCBA <i>For wireless Vantage Pro2 Sensor Suite manufactured before January 2016, OV</i>	7345.978	\$215
PCBA <i>For wireless Vantage Pro2 Sensor Suite manufactured January 2016 and later, OV</i>	7345.952	\$215
Dipole Antenna, 915Mhz <i>For wireless Vantage Pro2 and Vantage Vue Console and Transmitter</i>	7367.210	\$10
Dipole Antenna, 868 Mhz <i>For wireless Vantage Pro2 and Vantage Vue Console and Transmitter</i>	7367.211	\$10
Super Capacitor <i>For Vantage Pro2 Sensor Suite Transmitter</i>	7370.093	\$5
3-Volt Lithium Battery	8415	\$8

Special Purpose Stations

PCBA <i>For Sensor Transmitters, Temperature Station or Temperature/Humidity Station manufactured before 2016, US</i>	7346.049	\$215
PCBA <i>For Sensor Transmitters, Temperature Station or Temperature/Humidity Station manufactured January 2016 and later, US</i>	7346.068	\$215
PCBA <i>For Sensor Transmitters, Temperature Station or Temperature/Humidity Station manufactured before 2016, OV</i>	7346.057	\$215
PCBA <i>For Sensor Transmitters, Temperature Station or Temperature/Humidity Station manufactured January 2016 and later, OV</i>	7346.069	\$215
PCBA <i>For Leaf & Soil Moisture/Temperature Station Board, US</i>	7346.216	\$215
PCBA <i>For Leaf & Soil Moisture/Temperature Station Board, OV</i>	7346.217	\$215
Dipole Antenna, 915Mhz <i>For Sensor Transmitters, Temperature Station, Temperature/Humidity Station or Leaf and Soil Moisture/Temperature Station</i>	7367.210	\$10
Dipole Antenna, 868 Mhz <i>For Sensor Transmitters, Temperature Station, Temperature/Humidity Station or Leaf and Soil Moisture/Temperature Station</i>	7367.211	\$10
Super Capacitor <i>For Sensor Transmitters, Temperature Station, Temperature/Humidity Station or Leaf and Soil Moisture/Temperature Station</i>	7370.093	\$5

Temperature Humidity Sensors

Stainless Steel Temperature Probe with Two-Wire Termination <i>For use with 6345 Leaf Wetness & Soil Moisture/Temperature Station</i>	6470	\$65
Stainless Steel Temperature Probe with RJ Connector <i>For Vantage Connect, EnviroMonitor, 6316 Weather Envoy, 6332 Solar-Powered Wireless Sensor Transmitter and 6311 A/C Powered Wireless Sensor Transmitter</i>	6475	\$55
Temperature Probe with RJ Connector <i>For Vantage Connect, EnviroMonitor, 6316 Weather Envoy, or 6332 Solar-Powered Wireless Sensor Transmitter and 6311 A/C Powered Wireless Sensor Transmitter</i>	6477	\$30
Temperature/Humidity Digital Sensor Board (20" cable) <i>For Vantage Pro2 manufactured January 2016 and later</i>	7346.070	\$50
Temperature/Humidity Digital Sensor Board (25' cable) <i>For Vantage Pro2 manufactured January 2016 and later</i>	7346.221	\$60

Anemometer

Anemometer <i>Vantage Pro2 style</i>	6410	\$170
Wind Speed Bearing Cartridge <i>For 6410 anemometers manufactured Spring 2013 or later</i>	7345.953	\$20
Anemometer Mounting Base <i>Vantage Pro2 style</i>	7342.235	\$6
Anemometer Arm <i>Vantage Pro2 style</i>	7388.008	\$6
Wind Vane, Round Shaft, no logo <i>For anemometers manufactured before Spring 2013</i>	7904	\$15
Wind Vane, D-Shaft, no logo <i>For use with manufacturing code AF and AJ or later (beginning approximately Spring 2013)</i>	7906	\$15
Wind Vane, D-Shaft with logo <i>For use with manufacturing code AF and AJ or later (beginning approximately Spring 2013)</i>	7906L	\$15
Wind Cups, Large, horizontal magnet <i>For anemometers manufactured Spring 2003 or later</i>	7905L	\$15

Rain Collector (Aluminum Plated Tipping Bucket)

Reed Switch for tipping bucket	7120.031	\$3
Metric Adapter for tipping bucket	7342.024	\$3
Magnet End Cap for tipping bucket	7342.029	\$2
Reed Switch Cover for tipping bucket	7342.030	\$3
Tipping bucket, aluminum plated	7342.038	\$7
Tipping Bucket Assembly for Rain Collector (0.01")	7345.443	\$48
Tipping Bucket Assembly for Rain Collector (0,2 mm)	7345.444	\$48

Rain Collector (Tipping Spoon)

Vantage Pro2 Tipping Spoon Replacement Kit, inch, 19" (0,5 m) cable	7345.425	\$55
Vantage Pro2 Tipping Spoon Replacement Kit, mm, 19" (0,5 m) cable	7345.147	\$55
Rain Collector Tipping Spoon Replacement Kit, inch, 40' (12 m) cable	7345.440	\$70
Rain Collector Tipping Spoon Replacement Kit, mm, 40' (12 m) cable	7345.439	\$70
Replacement Reed Switch, 19" cable (tipping spoon)	7345.484	\$10
Replacement Reed Switch, 40' cable (tipping spoon)	7345.485	\$25

Rain Collector (All)

Rain Collector Base without tipping assembly <i>Vantage Pro2 style</i>	7342.074	\$20
Debris Screen <i>Cone-shaped style</i>	7342.283	\$4
AeroCone Replacement Kit with Logo <i>For Vantage Pro2, GroWeather</i>	6462	\$40
AeroCone Replacement Kit with no Logo <i>For Vantage Pro2, GroWeather</i>	6461	\$40
Bird Spike/Debris Screen Kit	7345.530	\$8

Vantage Pro2™ (continued)	EU	UK	OV	M	Product #	List Price
Housing Accessories						
Retainer Clip for back shelter housing					7342.044	\$7
Foam Insert for cable access port in back shelter housing					7342.056	\$2
Front Cover for Shelter Housing, with solar panel <i>For wireless 6322 Vantage Pro2 Sensor Suite or 6162 Vantage Pro2 Plus Sensor Suite</i>					7345.114	\$35
Front Cover for shelter housing, without solar panel <i>For cabled Vantage Pro2 Sensor Suite</i>					7342.057	\$15
Retainer for Antenna Grommet in back shelter housing <i>For wireless Vantage Pro2 Sensor Suite</i>					7342.092	\$2
Shelter Housing (cover not included) <i>For Sensor Transmitters, Temperature Station, Temperature/Humidity Station or Leaf and Soil Moisture/Temperature Station</i>					7342.176	\$30
Front Cover for Shelter Housing, with solar panel <i>For Sensor Transmitters, Temperature Station, Temperature/Humidity Station, or Leaf and Soil Moisture/Temperature Station</i>					7345.086	\$70
Front Cover for Shelter Housing, without solar panel <i>For wireless Temperature Station</i>					7345.094	\$30
Fan-Aspirated Radiation Shield						
Rechargeable C Cell Battery <i>For 24-hour fans</i>					7011.030	\$10
Junction Board <i>For 24-hour fans</i>					7315.053A	\$20
Front Cover for Shelter Housing, with two solar panels <i>For Vantage Pro2 Daytime Fan Kit</i>					7345.116	\$65
Motor Kit, without batteries <i>For Daytime and 24-hour models</i>					7758	\$60
Motor Kit, with batteries <i>For 24-hour models</i>					7758B	\$75

Vantage Connect®	Product #	List Price
Battery, 6v, 12 Amp Hours	6712	\$75
Battery, 6v, 1.3 Amp Hours	7011.005	\$25
Primary Power Cable	7330.228	\$15
Cable Port Plug	7342.278	\$1
Shelter Door with Solar Panel	7345.414	\$105
Battery Tray with Charger Circuit	7345.519	\$55
Vantage Connect Mounting Hardware Kit	7345.904	\$15
Circuit boards available - Contact Davis Tech Support for details		

WeatherLink®	Product #	List Price
8' (2,5 m) Cable <i>for serial-port versions</i>	7330.021	\$6
USB Cable	7330.061	\$6
9-Pin Adapter <i>for serial-port versions</i>	7381.037	\$10

Perception II®, Wizard III® & Monitor II®	EU	UK	OV	M	Product #	List Price
Anemometer						
Anemometer Mounting Base <i>For Weather Wizard or Weather Monitor</i>					7902.121	\$5
Wind Vane					7904	\$15
Wind Cups, Large, horizontal magnet <i>For anemometers manufactured Spring 2003 or later</i>					7905L	\$15
Anemometer <i>For Weather Wizard or Weather Monitor</i>					7911	\$170

Perception II®, Wizard III® & Monitor II® (continued)	EU	UK	OV	M	Product #	List Price
Rain Collector						
Reed Switch for tipping bucket					7120.031	\$3
Metric Adapter for tipping bucket					7342.024	\$3
Rain Collector Base without tipping bucket assembly					7342.026	\$15
<i>For Weather Wizard or Weather Monitor</i>						
Magnet End Cap for tipping bucket					7342.029	\$2
Reed Switch Cover for tipping bucket					7342.030	\$3
Tipping bucket, aluminum plated					7342.038	\$7
Debris Screen					7342.283	\$4
<i>Cone-shaped style</i>						
AeroCone Replacement Kit with Logo					6462	\$40
AeroCone Replacement Kit with no Logo					6461	\$40
Tipping Bucket Assembly for Rain Collector (0.01")					7852.800	\$50
<i>For Weather Wizard or Weather Monitor</i>						
Tipping Bucket Assembly for Rain Collector (0,2 mm)					7852M.800	\$50
<i>For Weather Wizard or Weather Monitor</i>						

Installation Options	EU	UK	OV	M	Product #	List Price
Rain Collector Heater						
Power Cord (US)					7330.150	\$8
Power Cord (EU)					7330.151	\$10
Power Cord (UK)					7330.152	\$37
Power Assembly					7345.244	\$155
Insulating Blanket					7345.979	\$5
Power Supply/Transformer, 24 VDC, 1.2A					7379.014	\$24
<i>For use with US, EU and UK Power Cords</i>						

EnviroMonitor®	EU	UK	OV	M	Product #	List Price
Gateway						
Gateway PCBA, LTE (US only)					6682	\$675
Battery Tray with Charger Circuit					7345.519	\$55
Battery, 6v, 12Ah					6712	\$75
Primary Power Cable, 4 pin					7330.228	\$15
Shelter Door with Solar Panel					7345.414	\$105
Shelter Cable Port Plug					7342.278	\$1
Shelter Cable Port, Open Grommet					7342.804	\$2
Penta Band Cell Antenna					7367.024	\$25
Mesh Network Antenna					7367.216	\$30
AC Power Charger Kit					6710	\$45
SensorLink					6868	\$50
<i>Convert a cellular Gateway to pair with a wireless sensor suite</i>						
Node						
PCBA Radio Assembly (includes battery board)					7345.985	\$300
Mesh Network Antenna					7367.216	\$30
Node Shelter Door with Solar Panel					7345.993	\$70
Lithium Battery, 3.7v 2600mAh					7011.026	\$25
Sensor Connector Block					7381.609	\$2
Foam Cable Seal					7342.538	\$3
AC Power Kit for Node					6714	\$45
Battery Retaining Door (D-cells)					7342.326	\$5

Possession of this price list does not constitute an offer to sell. Prices subject to change at any time.

Davis Instruments Corporation

3465 Diablo Avenue • Hayward CA, 94545-2778 USA

(510) 732-9229 • Fax (510) 670-0589

sales@davisinstruments.com • www.davisinstruments.com

ISO 9001 Certified Company