



Weights and Measures

DATE: 2/21/2023		DIMENSIONS						VOLUME		WEIGHT			DENSITY		UPC - CODE		SHIPPING			Mfg	PACK	
#	Description	INCHES			MM			ft^3	m^3	lbs	oz	kg	lb/ft^3	kg/m^3	Prefix	Suffix	#	RATE	Davis #	Origin	TYPE	
		L	W	H	L	W	H															
0271	TURBO METER																					
0271C	Packaged	6.00	5.13	2.00	152.40	130.30	50.80	0.036	0.001	1 lbs	6.25 oz	0.177	10.96	175.64	011698	02710	1	156600	100	C	USA	BOX
	Standard Pack - 3	6.50	6.50	4.63	165.10	165.10	117.60	0.113	0.003	1 lbs	8.00 oz	0.680	13.25	212.25	011698	02711	8	156600	100	C	USA	BOX
6100	Weatherlink LIVE														011698	01344	9					
6100EU	Weatherlink LIVE -EU														011698	01345	6					
6100UK	Weatherlink LIVE - UK														011698	01346	3					
	Packaged	13.13	6.75	3.13	333.38	171.45	79.38	0.160	0.005	1 lbs	8.00 oz	0.680	9.36	149.97				156600	100	C	USA	BOX
6110	WeatherLink Live with Vantage Vue Sensor Suite														011698	01395	1					
6110AU	Wireless Vantage Vue ISS with WeatherLink Live for Australia														011698	01485	9					
6110EU	WeatherLink Live with Vantage Vue Sensor Suite EU														011698	01398	2					
6110M	WeatherLink Live with Vantage Vue Sensor Suite Metric														011698	01397	5					
6110UK	WeatherLink Live with Vantage Vue Sensor Suite UK														011698	01399	9					
	Packaged	18.00	15.13	7.00	457.20	384.18	177.80	1.103	0.031	5 lbs	8.00 oz	2.495	4.99	79.89				156600	100	C	USA	BOX
6112	Vantage Pro2 Sensor Suite + WeatherLink Live Bundle														011698	01430	9					
6112EU	Vantage Pro2 Sensor Suite + WeatherLink Live Bundle - EU														011698	01432	3					
6112M	Vantage Pro2 Sensor Suite + WeatherLink Live Bundle - Metric														011698	01431	6					
6112UK	Vantage Pro2 Sensor Suite + WeatherLink Live Bundle - UK														011698	01433	0					
	Packaged	18.00	15.13	7.00	457.20	384.18	177.80	1.103	0.031	9 lbs	13.50 oz	4.465	8.93	142.98				156600	100	C	USA	BOX
6120	WeatherLink Live with Vantage Vue Sensor Suite and console														011698	01396	8					
6120EU	WeatherLink Live with Vantage Vue Sensor Suite and console EU														011698	01401	9					
6120M	WeatherLink Live with Vantage Vue Sensor Suite and console Metric														011698	01400	2					
6120UK	WeatherLink Live with Vantage Vue Sensor Suite and console UK														011698	01402	6					
	Packaged	18.00	15.13	7.00	457.20	384.18	177.80	1.103	0.031	6 lbs	1.60 oz	2.767	5.53	88.60				156600	100	C	USA	BOX
6122	Vantage Pro2 Station + WeatherLink Live Bundle														011698	01434	7					
6122EU	Vantage Pro2 Station + WeatherLink Live Bundle - EU														011698	01436	1					
6122M	Vantage Pro2 Station + WeatherLink Live Bundle - Metric														011698	01435	4					
6122UK	Vantage Pro2 Station + WeatherLink Live Bundle - UK														011698	01437	8					
	Packaged	18.00	15.13	7.00	457.20	384.18	177.80	1.103	0.031	11 lbs	9.60 oz	5.262	10.52	168.49				156600	100	C	USA	BOX
6124	VP2 ISS No Anemometer and Weatherlink Live Bundle														011698	01457	6					
6124M	VP2 ISS No Anemometer and Weatherlink Live Bundle - Metric														011698	01458	3					
6124OV	VP2 ISS No Anemometer and Weatherlink Live Bundle - OV														011698	01459	0					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	9 lbs	0.00 oz	4.082	5.35	85.76				156600	100	C	USA	BOX
6126	VP2 ISS No Anemometer, Weatherlink Live, Sonic Anemometer Bundle														011698	01463	7					
6126M	VP2 ISS No Anemometer, Weatherlink Live, Sonic Anemometer Bundle, Metric														011698	01464	4					
	Packaged	18.75	15.50	16.38	476.25	393.70	415.93	2.754	0.078	12 lbs	3.20 oz	5.534	4.43	70.96				156600	100	C	USA	BOX
6152	WIRELESS VANTAGE PRO2														011698	00722	6					
6152EU	WIRELESS VANTAGE PRO2 EU														011698	00758	5					
6152UK	WIRELESS VANTAGE PRO2 UK														011698	00759	2					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	11 lbs	13.40 oz	5.369	7.04	112.79				156600	100	C	USA	BOX
6128	VP2 ISS No Anemometer and Sonic Anemometer Bundle														011698	01465	1					
6128M	VP2 ISS No Anemometer and Sonic Anemometer Bundle, Metric														011698	01466	8					
	Packaged	18.75	15.50	16.38	476.25	393.70	415.93	2.754	0.078	11 lbs	8.00 oz	5.216	4.18	66.89				156600	100	C	USA	BOX
6152C	CABLED VANTAGE PRO2														011698	00755	4					
6152CEU	CABLED VANTAGE PRO2 EU														011698	00772	1					
6152CUK	CABLED VANTAGE PRO2 UK														011698	00773	8					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	12 lbs	15.00 oz	5.868	7.70	123.28				156600	100	C	USA	BOX
6153	WIRELESS VANTAGE PRO2 with 24-Hr. Fan-Aspirated Radiation Shield														011698	00750	9					
6153EU	WIRELESS VANTAGE PRO2 EU with 24-Hr. Fan-Aspirated Radiation Shield														011698	00760	8					
6153UK	WIRELESS VANTAGE PRO2 UK with 24-Hr. Fan-Aspirated Radiation Shield														011698	00761	5					
	Packaged	14.88	12.88	23.38	377.83	327.03	593.73	2.591	0.073	16 lbs	10.56 oz	7.557	6.43	103.01				156600	100	C	USA	BOX
6154	WIRELESS VANTAGE PRO2 with upgraded Temperature/Humidity Sensor														011698	01015	8					
6154EU	WIRELESS VANTAGE PRO2 with upgraded Temperature/Humidity Sensor														011698	01016	5					
6154UK	WIRELESS VANTAGE PRO2 with upgraded Temperature/Humidity Sensor														011698	01017	2					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	11 lbs	13.40 oz	5.369	7.04	112.79				156600	100	C	USA	BOX
6154C	CABLED VANTAGE PRO2 with upgraded Temperature/Humidity Sensor														011698	01007	3					
6154CEU	CABLED VANTAGE PRO2 with upgraded Temperature/Humidity Sensor														011698	01008	0					
6154CUK	CABLED VANTAGE PRO2 with upgraded Temperature/Humidity Sensor														011698	01009	7					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	12 lbs	15.00 oz	5.868	7.70	123.28				156600	100	C	USA	BOX
6155	WIRELESS VANTAGE PRO2 with 24-Hour Fan-Aspirated Radiation Shield and upgraded Temperature/Humidity Sensor														011698	01018	9					
6155EU	WIRELESS VANTAGE PRO2 with 24-Hour Fan-Aspirated Radiation Shield and upgraded Temperature/Humidity Sensor														011698	01019	6					
6155UK	WIRELESS VANTAGE PRO2 with 24-Hour Fan-Aspirated Radiation Shield and upgraded Temperature/Humidity Sensor														011698	01020	2					



Weights and Measures

DATE: 2/21/2023		DIMENSIONS						VOLUME		WEIGHT			DENSITY		UPC - CODE		SHIPPING			Mfg	PACK		
Product #	Description	INCHES			MM			ft^3	m^3	lbs	oz	kg	lb/ft^3	kg/m^3	Prefix	Suffix	NMFC #	RATE	Davis #	Origin	TYPE		
	Packaged	14.88	12.88	23.38	377.83	327.03	593.73	2.591	0.073	16	lbs	10.56	oz	7.557	6.43	103.01			156600	100	C	USA	BOX

Weights and Measures

DATE: 2/21/2023		DIMENSIONS						VOLUME		WEIGHT			DENSITY		UPC - CODE		SHIPPING			Mfg	PACK	
#	Description	INCHES			MM			ft^3	m^3	lbs	oz	kg	lb/ft^3	kg/m^3	Prefix	Suffix	#	RATE	Davis #	Origin	TYPE	
		L	W	H	L	W	H															
6162	WIRELESS VANTAGE PRO2 PLUS with UV & Solar Radiation Sensors														011698	00746	2					
6162EU	WIRELESS VANTAGE PRO2 PLUS EU with UV & Solar Radiation Sensors														011698	00753	3					
6162UK	WIRELESS VANTAGE PRO2 PLUS UK with UV & Solar Radiation Sensors														011698	00751	6					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	11 lbs	15.00 oz	5.415	7.10	113.75				156600	100	C	USA	BOX
6162C	CABLED VANTAGE PRO2 PLUS with UV & Solar Radiation Sensors														011698	00756	1					
6162CEU	CABLED VANTAGE PRO2 PLUS EU with UV & Solar Radiation Sensors														011698	00774	5					
6162CUK	CABLED VANTAGE PRO2 PLUS UK with UV & Solar Radiation Sensors														011698	00775	2					
	Packaged	16.13	10.38	13.00	409.58	263.53	330.20	1.259	0.036	13 lbs	4.50 oz	6.024	10.55	169.04				156600	100	C	USA	BOX
6163	WIRELESS VANTAGE PRO2 PLUS with UV & Solar Radiation Sensors and 24-Hr. Fan-Aspirated Radiation Shield														011698	00747	9					
6163EU	WIRELESS VANTAGE PRO2 PLUS EU with UV & Solar Radiation Sensors and 24-Hr. Fan-Aspirated Radiation Shield														011698	00762	2					
6163UK	WIRELESS VANTAGE PRO2 PLUS UK with UV & Solar Radiation Sensors and 24-Hr. Fan-Aspirated Radiation Shield														011698	00763	9					
	Packaged	14.88	12.88	23.38	377.83	327.03	593.73	2.591	0.073	17 lbs	5.12 oz	7.856	6.69	107.09				156600	100	C	USA	BOX
6164	WIRELESS VANTAGE PRO2 PLUS with UV & Solar Radiation Sensors and upgraded Temperature/Humidity Sensor														011698	01022	6					
6164EU	WIRELESS VANTAGE PRO2 PLUS with UV & Solar Radiation Sensors and upgraded Temperature/Humidity Sensor														011698	01023	3					
6164UK	WIRELESS VANTAGE PRO2 PLUS with UV & Solar Radiation Sensors and upgraded Temperature/Humidity Sensor														011698	01024	0					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	12 lbs	5.76 oz	5.606	7.35	117.77				156600	100	C	USA	BOX
6164C	CABLED VANTAGE PRO2 PLUS with UV & Solar Radiation Sensors and upgraded Temperature/Humidity Sensor														011698	01010	3					
6164CEU	CABLED VANTAGE PRO2 PLUS EU with UV & Solar Radiation Sensors and upgraded Temperature/Humidity Sensor														011698	01011	0					
6164CUK	CABLED VANTAGE PRO2 PLUS UK with UV & Solar Radiation Sensors and upgraded Temperature/Humidity Sensor														011698	01012	7					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	13 lbs	4.50 oz	6.024	7.90	126.55				156600	100	C	USA	BOX
6165	WIRELESS VANTAGE PRO2 PLUS with UV & Solar Radiation Sensors, 24-Hr. Fan-Aspirated Radiation Shield and upgraded Temperature/Humidity Sensor														011698	01022	6					
6165EU	WIRELESS VANTAGE PRO2 PLUS with UV & Solar Radiation Sensors, 24-Hr. Fan-Aspirated Radiation Shield and upgraded Temperature/Humidity Sensor														011698	01023	3					
6165UK	WIRELESS VANTAGE PRO2 PLUS with UV & Solar Radiation Sensors, 24-Hr. Fan-Aspirated Radiation Shield and upgraded Temperature/Humidity Sensor														011698	01024	0					
	Packaged	14.88	12.88	23.38	377.83	327.03	593.73	2.591	0.073	17 lbs	5.12 oz	7.856	6.69	107.09				156600	100	C	USA	BOX
6242	Vantage Vue with WeatherLink Console- US														011698	01519	1					
6242AU	Vantage Vue with WeatherLink Console- AU														011698	01548	1					
6242EU	Vantage Vue with WeatherLink Console- EU														011698	01523	8					
6242M	Vantage Vue with WeatherLink Console- Metric														011698	01522	1					
6242UK	Vantage Vue with WeatherLink Console- UK														011698	01524	5					
	Packaged	18.00	15.13	7.00	457.20	384.18	177.80	1.103	0.031	6 lbs	11.20 oz	3.039	6.08	97.32				156600	100	C	USA	BOX
6250	Vantage Vue - US														011698	00912	1					
6250EU	Vantage Vue - EU														011698	00916	9					
6250UK	Vantage Vue - UK														011698	00917	6					
6250M	Vantage Vue - Metric														011698	00920	6					
6250RU	Vantage Vue - RU														011698	01484	2					
	Packaged	18.00	15.13	7.00	457.20	384.18	177.80	1.103	0.031	6 lbs	11.20 oz	3.039	6.08	97.32				156600	100	C	USA	BOX
6252	VANTAGE PRO2 with Console														011698	01525	2					
6252EU	VANTAGE PRO2 with console - EU														011698	01527	6					
6252M	VANTAGE PRO2 with console - Metric														011698	01526	9					
6252UK	VANTAGE PRO2 with console - UK														011698	01528	3					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	10 lbs	7.00 oz	4.734	6.21	99.45				156600	100	C	USA	BOX
6253	VANTAGE PRO2 with 24-Hr. Fan-Aspirated Radiation Shield														011698	01535	1					
6253EU	VANTAGE PRO2 EU with 24-Hr. Fan-Aspirated Radiation Shield														011698	01537	5					
6253M	VANTAGE PRO2 Metric with 24-Hr. Fan-Aspirated Radiation Shield														011698	01536	8					
6253UK	VANTAGE PRO2 UK with 24-Hr. Fan-Aspirated Radiation Shield														011698	01538	2					
	Packaged	14.88	12.88	23.38	377.83	327.03	593.73	2.591	0.073	15 lbs	15.00 oz	7.229	6.15	98.55				156600	100	C	USA	BOX
6262	VANTAGE PRO2 Plus with Console														011698	01529	0					
6262EU	VANTAGE PRO2 Plus with console - EU														011698	01533	7					
6262M	VANTAGE PRO2 Plus with console - Metric														011698	01532	0					
6262UK	VANTAGE PRO2 Plus with console - UK														011698	01534	4					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	11 lbs	15.00 oz	5.415	7.10	113.75				156600	100	C	USA	BOX
6263	VANTAGE PRO2 Plus with 24-Hr. Fan-Aspirated Radiation Shield - WL Console														011698	01539	9					
6263EU	VANTAGE PRO2 Plus EU with 24-Hr. Fan-Aspirated Radiation Shield _ WL Console														011698	01541	2					
6263M	VANTAGE PRO2 Plus Metric with 24-Hr. Fan-Aspirated Radiation Shield _ WL Console														011698	01540	5					
6263UK	VANTAGE PRO2 Plus UK with 24-Hr. Fan-Aspirated Radiation Shield + WL Console														011698	01542	9					
	Packaged	14.88	12.88	23.38	377.83	327.03	593.73	2.591	0.073	16 lbs	10.00 oz	7.541	6.42	102.80				156600	100	C	USA	BOX
6312	CONSOLE/RECEIVER for Wireless Vantage Pro2														011698	00724	0					
6312EU	CONSOLE/RECEIVER EU for Wireless Vantage Pro2														011698	00766	0					
6312UK	CONSOLE/RECEIVER UK for Wireless Vantage Pro2														011698	00767	7					
	Packaged	12.61	9.25	2.50	320.36	234.95	63.50	0.169	0.005	2 lbs	10.00 oz	1.191	15.55	249.13				156600	100	C	USA	BOX
6313	WeatherLink Console														011698	01514	6					



Weights and Measures

DATE: 2/21/2023		DIMENSIONS						VOLUME		WEIGHT			DENSITY		UPC - CODE		SHIPPING			Mfg	PACK	
#	Description	INCHES			MM			ft^3	m^3	lbs	oz	kg	lb/ft^3	kg/m^3	Prefix	Suffix	#	RATE	Davis #	Origin	TYPE	
		L	W	H	L	W	H															
6313EU	WeatherLink Console - EU														011698	01515	3					
6313M	WeatherLink Console - USB Cable														011698	01516	0					
6313UK	WeatherLink Console - UK														011698	01517	7					
	Packaged	12.75	7.00	2.25	323.85	177.80	57.15	0.116	0.003	2 lbs	0.00 oz	0.907	17.21	275.68				156600	100	C	USA	BOX
6316	WIRELESS WEATHER ENVOY														011698	00749	3					
6316EU	WIRELESS WEATHER ENVOY EU														011698	00770	7					
6316UK	WIRELESS WEATHER ENVOY UK														011698	00771	4					
	Packaged	10.25	5.63	3.00	260.35	143.00	76.20	0.100	0.003	1 lbs	0.00 oz	0.454	9.98	159.89				156600	100	C	USA	BOX
6316C	CABLED WEATHER ENVOY														011698	00757	8					
6316CEU	CABLED WEATHER ENVOY EU														011698	00789	9					
6316CUK	CABLED WEATHER ENVOY UK														011698	00790	5					
	Packaged	10.25	5.63	3.00	260.35	143.00	76.20	0.100	0.003	1 lbs	0.00 oz	0.454	9.98	159.89				156600	100	C	USA	BOX
6322	INTEGRATED SENSOR SUITE for Vantage Pro2 Wireless														011698	00776	9					
6322OV	INTEGRATED SENSOR SUITE for Vantage Pro2 Wireless - OV														011698	00778	3					
6322RU	INTEGRATED SENSOR SUITE for Vantage Pro2 Wireless - Russia														011698	01355	5					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	9 lbs	1.40 oz	4.122	5.41	86.59				156600	100	C	USA	Box
6322C	INTEGRATED SENSOR SUITE for Vantage Pro2 Cabled														011698	00777	6					
6322CM	INTEGRATED SENSOR SUITE for Vantage Pro2 Cabled - Metric														011698							
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	9 lbs	1.40 oz	4.122	5.41	86.59				156600	100	C	USA	Box
6322W	VP2 ISS, Wireless, No Anemometer														011698	01460	6					
6322WM	VP2 ISS, Wireless, No Anemometer - Metric														011698	01461	3					
6322WOV	VP2 ISS, Wireless, No Anemometer - OV														011698	01462	0					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	8 lbs	4.00 oz	3.742	4.91	78.61				156600	100	C	USA	Box
6323	ISS, VP2 WIRELESS SPARS														011698	00779	0					
6323OV	ISS, VP2 WIRELESS SPARS EU														011698	00780	6					
	Packaged	14.88	12.88	23.38	377.83	327.03	593.73	2.591	0.073	15 lbs	15.00 oz	7.229	6.15	98.55				156600	100	C	USA	Box
6324	ISS, VP2 WIRELESS WITH UPGRADED TEMPERATURE/HUMIDITY SENSOR														011698	01028	8					
6324OV	ISS, VP2 WIRELESS OV WITH UPGRADED TEMPERATURE/HUMIDITY SENSOR														011698	01029	5					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	9 lbs	1.40 oz	4.122	5.41	86.59				156600	100	C	USA	Box
6324C	ISS, VP2 CABLED WITH UPGRADED TEMPERATURE/HUMIDITY SENSOR														011698	01013	4					
6324COV	ISS, VP2 CABLED OV WITH UPGRADED TEMPERATURE/HUMIDITY SENSOR														011698	01129	2					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	9 lbs	1.40 oz	4.122	5.41	86.59				156600	100	C	USA	Box
6327	ISS PLUS, WIRELESS, SOLAR & UV														011698	00781	3					
6327OV	ISS PLUS, WIRELESS, SOLAR & UV - OV														011698	00783	7					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	11 lbs	1.28 oz	5.026	6.59	105.58				156600	100	C	USA	Box
6327C	ISS, CABLED, PLUS, SOLAR & UV														011698	00782	0					
6327CM	Product	11.00	9.38	14.00	279.40	238.13	355.60	0.836	0.024	5 lbs	6.75 oz	2.459	6.49	103.95								
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	11 lbs	2.24 oz	5.053	6.63	106.15				156600	100	C	USA	Box
6328	ISS PLUS, WIRELESS, 24-hr FARS W/ SOLAR & UV														011698	00784	4					
6328OV	ISS PLUS, WIRELESS, 24-hr FARS W/ SOLAR & UV - OV														011698	00785	1					
6328NZ	ISS PLUS, WIRELESS, 24-hr FARS W/ SOLAR & UV - NZ														011698	01266	4					
	Packaged	14.88	12.88	23.38	377.83	327.03	593.73	2.591	0.073	16 lbs	8.40 oz	7.496	6.38	102.18				156600	100	C	USA	Box
6329	ISS PLUS, WIRELESS, SOLAR & UV AND UPGRADED TEMPERATURE/HUMIDITY SENSOR														011698	01032	5					
6329OV	ISS PLUS, WIRELESS, OV, WITH SOLAR & UV AND UPGRADED TEMPERATURE/HUMIDITY SENSOR														011698	01033	2					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	11 lbs	1.28 oz	5.026	6.59	105.58				156600	100	C	USA	Box
6329C	ISS PLUS, CABLED, SOLAR & UV AND UPGRADED TEMPERATURE/HUMIDITY SENSOR														011698	01014	1					
6329COV	ISS PLUS, CABLED, OV, WITH SOLAR & UV AND UPGRADED TEMPERATURE/HUMIDITY SENSOR														011698	01130	8					
	Packaged	17.50	10.38	16.00	444.50	263.53	406.40	1.681	0.048	11 lbs	2.24 oz	5.053	6.63	106.15				156600	100	C	USA	Box
6331	Sensor Transmitting Station, Wireless, AC Powered														011698	01202	2					
6331EU	Sensor Transmitting Station, Wireless, AC Powered - EU														011698	01368	5					
6331UK	Sensor Transmitting Station, Wireless, AC Powered - UK														011698	01369	2					
	Packaged	11.75	7.00	3.00	298.45	177.80	76.20	0.143	0.004	2 lbs	1.60 oz	0.953	14.71	235.58				156600	100	C	USA	BOX
6332	SOLAR POWERED WIRELESS TRANSMITTER														011698	00739	4					
6332OV	SOLAR POWERED WIRELESS TRANSMITTER -OV														011698	00740	0					
	Packaged	11.75	7.00	3.00	298.45	177.80	76.20	0.143	0.004	1 lbs	13.50 oz	0.836	12.91	206.83				156600	100	C	USA	BOX
6334	ISS, SOLAR/AG WIRELESS with Daytime Fan and Solar Radiation Sensor														011698	01030	1					
6334OV	Packaged	14.88	12.88	23.38	377.95	327.15	593.85	2.593	0.073	13 lbs	5.44 oz	6.051	5.14	82.41	011698	01153	7	156600	175	C	USA	BOX
6334C	ISS, SOLAR/AG CABLED with Daytime Fan and Solar Radiation Sensor														011698	01131	5					
6334CM	Packaged	14.88	12.88	23.38	377.95	327.15	593.85	2.593	0.073	14 lbs	9.60 oz	6.623	5.63	90.19	011698	01154	4	156600	175	C	USA	BOX
6345	WIRELESS LEAF WETNESS/TEMPERATURE STATION														011698	00795	0					
6345OV	WIRELESS LEAF WETNESS/TEMPERATURE STATION - OV														011698	00796	7					

Weights and Measures

Weights and Measures																						
DATE: 2/21/2023		DIMENSIONS						VOLUME		WEIGHT			DENSITY		UPC - CODE			SHIPPING			Mfg	PACK
Product #	Description	INCHES			MM			ft^3	m^3	lbs	oz	kg	lb/ft^3	kg/m^3	Prefix	Suffix		NMFC		Davis #	Origin	TYPE
		L	W	H	L	W	H											#	RATE			
6345RU	WIRELESS LEAF WETNESS/TEMPERATURE STATION - RU Packaged	11.75	6.75	3.00	298.45	171.45	76.20	0.138	0.004	2 lbs	2.00 oz	0.964	15.43	247.21	011698	01356	2	156600	100	C	USA	BOX
6345CS	COMPLETE WIRELESS SOIL MOISTURE/TEMPERATURE STATION														011698	00889	6					
6345CSOV	COMPLETE WIRELESS SOIL MOISTURE/TEMPERATURE STATION OV Packaged	11.25	8.75	6.00	285.75	222.25	152.40	0.342	0.010	3 lbs	10.50 oz	1.658	10.70	171.35	011698	00890	2	156600	100	C	USA	BOX
6351	Vantage Vue console - US														011698	00913	8					
6351M	Vantage Vue console - US with metric setup														011698	00921	3					
6351EU	Vantage Vue console - EU														011698	00918	3					
6351UK	Vantage Vue console - UK														011698	00919	0					
6351NZ	Vantage Vue console - NZ Packaged	8.00	8.00	4.00	203.20	203.20	101.60	0.148	0.004	2 lbs	0.30 oz	0.916	13.63	218.28	011698	01275	6	156600	100	C	USA	BOX
6357	Vantage Vue - US no console														011698	00914	5					
6357M	Vantage Vue - US with metric setup no console														011698	00922	0					
6257OV	Vantage Vue - OV no console Packaged	18.00	15.13	7.00	457.20	384.18	177.80	1.103	0.031	4 lbs	8.00 oz	2.041	4.08	65.36	011698	00923	7	156600	100	C	USA	BOX
6372	WIRELESS TEMPERATURE STATION														011698	00741	7					
6372OV	WIRELESS TEMPERATURE STATION - OV Packaged	11.75	7.00	3.00	298.45	177.80	76.20	0.143	0.004	1 lbs	13.50 oz	0.836	12.91	206.83	011698	00742	4	156600	100	C	USA	BOX
6382	WIRELESS TEMPERATURE/HUMIDITY STATION														011698	00743	1					
6382OV	WIRELESS TEMPERATURE/HUMIDITY STATION - OV Packaged	8.63	8.63	10.63	219.08	219.08	269.88	0.457	0.013	4 lbs	12.80 oz	2.177	10.49	168.10	011698	00744	8	156600	100	C	USA	BOX
6383	WIRELESS TEMPERATURE/HUMIDITY STATION WITH UPGRADED TEMPERATURE/HUMIDITY SENSOR														011698	01036	3					
6383OV	WIRELESS TEMPERATURE/HUMIDITY STATION - OV WITH UPGRADED TEMPERATURE/HUMIDITY SENSOR Packaged	8.63	8.63	10.63	219.08	219.08	269.88	0.457	0.013	4 lbs	12.80 oz	2.177	10.49	168.10	011698	01037	0	156600	100	C	USA	BOX
6410	ANEMOMETER Packaged	17.75	10.00	3.00	450.85	254.00	76.20	0.308	0.009	1 lbs	15.00 oz	0.879	6.29	100.71	011698	00237	5	156600	100	C	USA	BOX
6415	Anemometer, Sonic, LCJ Capteurs SA-DZP_T Packaged				0.00	0.00	0.00	0.000	0.000				#DIV/0!	#DIV/0!	011698	00237	5	156600	100	C	USA	BOX
6420	LEAF WETNESS SENSOR Packaged	5.75	4.25	3.25	146.05	107.95	82.55	0.046	0.001	lbs	6.40 oz	0.181	8.70	139.41	011698	00238	2	156600	100	F	USA	BOX
6440	SOIL MOISTURE SENSOR Packaged	6.00	5.63	1.25	152.40	142.88	31.75	0.024	0.001	lbs	9.00 oz	0.255	23.04	369.07	011698	00330	3	156600	100	F	USA	BAG
6450	SOLAR RADIATION SENSOR Packaged	6.00	4.25	3.25	152.40	107.95	82.55	0.048	0.001	lbs	5.76 oz	0.163	7.51	120.24	011698	00240	5	156600	100	C	USA	BOX
6460	AeroCone w/Bird Spikes and Debris Screen, Logo														011698	01291	6					
6461	AeroCone w/Bird Spikes and Debris Screen, NO Logo Packaged	8.50	8.50	10.75	215.90	215.90	273.05	0.449	0.013	1 lbs	11.20 oz	0.771	3.78	60.59	011698	01289	3	156600	100	C	USA	BOX
6463	Rain Collector, AeroCone														011698	01305	0					
6463M	Rain Collector, Metric, AeroCone Packaged	8.50	8.50	10.75	215.90	215.90	273.05	0.449	0.013	2 lbs	5.00 oz	1.049	5.14	82.42	011698	01306	7	156600	100	C	USA	BOX
6465	Rain Collector w/Mountable Base, AeroCone														011698	01307	4					
6465M	Rain Collector w/Mountable Base, Metric, AeroCone Packaged	11.00	9.00	11.00	279.40	228.60	279.40	0.630	0.018	3 lbs	14.50 oz	1.772	6.20	99.29	011698	01308	1	156600	100	C	USA	BOX
6470	STAINLESS STEEL TEMPERATURE PROBE for Air, Soil or Water Packaged	5.50	4.50	1.50	139.70	114.30	38.10	0.021	0.001	lbs	6.00 oz	0.170	17.45	279.60	011698	00241	2	156600	70	F	USA	BOX
6475	STAINLESS STEEL TEMPERATURE PROBE WITH RJ CONNECTOR Packaged	5.50	4.50	1.50	139.70	114.30	38.10	0.021	0.001	lbs	5.76 oz	0.163	16.76	268.42	011698	00949	7	156600	70	F	USA	BAG
6477	TEMPERATURE PROBE WITH RJ CONNECTOR for Envoy and Anemometer/Sensor Transmitter Kit Packaged	5.50	4.50	1.60	139.70	114.30	40.64	0.023	0.001	lbs	5.44 oz	0.154	14.84	237.66	011698	00950	3	156600	70	F	USA	BAG
6490	UV SENSOR Packaged	6.00	4.25	3.25	152.40	107.95	82.55	0.048	0.001	lbs	5.44 oz	0.154	7.09	113.56	011698	00243	6	156600	100	C	USA	BOX
6510SER	WEATHERLINK FOR VANTAGE PRO2, with Data Logger for Windows, Serial Port Packaged	9.00	6.00	1.63	228.60	152.40	41.28	0.051	0.001	lbs	8.00 oz	0.227	9.85	157.72	011698	00726	4	156300	60	S	USA	BOX
6510USB	WEATHERLINK FOR VANTAGE PRO2, with Data Logger for Windows, USB Packaged	9.00	6.00	1.63	228.60	152.40	41.28	0.051	0.001	lbs	8.00 oz	0.227	9.85	157.72	011698	00727	1	156300	60	S	USA	BOX
6612	Battery, 6V, 12 AMPS, SLA Packaged	5.50	15.00	11.50	139.70	381.00	292.10	0.549	0.016	10 lbs	3.20 oz	4.627	18.58	297.59	011698	00980	0	156600	100	C	USA	BOX
6613	SOLAR PWR KIT W/12AH BAT Packaged (double)	6.00	6.00	3.00	152.40	152.40	76.20	0.063	0.002	4 lbs	2.00 oz	1.871	66.00	1057.24	011698	01358	6	156600	100	C	USA	BOX
6614	SOLAR PWR KIT W/1.40Ah BT Packaged (double)	5.50	15.00	11.50	139.70	381.00	292.10	0.549	0.016	6 lbs	11.20 oz	3.039	12.20	195.48	011698	00981	7	156600	100	C	USA	BOX



Weights and Measures

DATE: 2/21/2023		DIMENSIONS						VOLUME		WEIGHT			DENSITY		UPC - CODE			SHIPPING			Mfg	PACK
Product #	Description	INCHES			MM			ft^3	m^3	lbs	oz	kg	lb/ft^3	kg/m^3	Prefix	Suffix		NMFC #	RATE	Davis #	Origin	TYPE
		L	W	H	L	W	H															
6616	SHELTER, EXTRA SOLAR PNL																					
	Packaged (double)	4.25	14.00	10.00	107.95	355.60	254.00	0.344	0.010	4 lbs	6.40 oz	1.996	12.78	204.70	011698	00982	4	156600	100	C	USA	BOX
6618	UNIVERSAL SHELTER																					
	Packaged	4.25	14.00	10.00	107.95	355.60	254.00	0.344	0.010	3 lbs	4.00 oz	1.474	9.44	151.20	011698	00981	7	156600	100	C	USA	BOX

Weights and Measures

Weights and Measures																						
DATE: 2/21/2023		DIMENSIONS						VOLUME		WEIGHT			DENSITY		UPC - CODE		SHIPPING			Mfg	PACK	
#	Description	INCHES			MM			ft^3	m^3	lbs	oz	kg	lb/ft^3	kg/m^3	Prefix	Suffix		NMFC #	RATE	Davis #	Origin	TYPE
		L	W	H	L	W	H															
6622	VANTAGE CONNECT - GSM/3G														011698	01167	4					
6622AU	VANTAGE CONNECT - GSM/3G														011698	01170	4					
6622BR	VANTAGE CONNECT - GSM/3G														011698	01181	0					
6622CA	VANTAGE CONNECT - GSM/3G														011698	01168	1					
6622G	VANTAGE CONNECT - GSM/3G														011698	01252	7					
6622JP	VANTAGE CONNECT - GSM/3G														011698	01179	7					
6622NZ	VANTAGE CONNECT - GSM/3G														011698	01180	3					
6622ND	VANTAGE CONNECT - GSM/3G														011698	01251	0					
6622OV	VANTAGE CONNECT - GSM/3G														011698	01253	4					
6622RU	VANTAGE CONNECT - GSM/3G														011698	01357	9					
6622S	VANTAGE CONNECT - GSM/3G														011698	01249	7					
6622SOV	VANTAGE CONNECT - GSM/3G														011698	01250	3					
6622P	VANTAGE CONNECT - GSM/3G														011698	01254	1					
6622C	VANTAGE CONNECT- Cabled, GSM/3G														011698	01248	0					
6622CAU	VANTAGE CONNECT- Cabled, GSM/3G														011698	01257	2					
6622CBR	VANTAGE CONNECT- Cabled, GSM/3G														011698	01245	9					
6622CCA	VANTAGE CONNECT- Cabled, GSM/3G														011698	01256	5					
6622CNZ	VANTAGE CONNECT- Cabled, GSM/3G														011698	01258	9					
6622CND	VANTAGE CONNECT- Cabled, GSM/3G														011698	01259	6					
6622CS	VANTAGE CONNECT- Cabled, GSM/3G														011698	01255	8					
	Packaged	5.50	15.00	11.50	139.70	381.00	292.10	0.549	0.016	10 lbs	10.20 oz	4.825	19.37	310.36				156600	100	C	USA	BOX
6627	USB Power Cable for Vantage Pro2 & Vantage Vue Consoles/Envoy														011698	01301	2					
	Packaged	6.50	4.00	1.00	165.10	101.60	25.40	0.015	0.000	lbs	2.00 oz	0.057	8.31	133.08				156600	100	C	China	BAG
6628	USB-A to Barrel Plug Power Cable 25ft (7.5m)														011698	01472	9					
	Packaged	5.50	3.50	1.25	139.70	88.90	31.75	0.014	0.000	lbs	4.50 oz	0.128	20.20	323.54				156600	100	C	China	BAG
6670	Universal Sensor Mounting Bracket														011698	01330	2					
	Packaged	7.00	4.00	3.00	177.80	101.60	76.20	0.049	0.001	lbs	13.30 oz	0.377	17.10	273.92				156600	100	C	Taiwan	BAG
6671	Angle Bracket For Shelter														011698	01331	9					
	Packaged	6.00	4.00	2.00	152.40	101.60	50.80	0.028	0.001	lbs	13.00 oz	0.369	29.25	468.55				156600	100	C	Taiwan	BAG
6673	SENSOR MOUNTING SHELF for Solar Radiation & UV Sensors														011698	00267	2	95190	70	L	USA	BOX
	Packaged	6.00	4.25	3.25	152.40	107.95	82.55	0.048	0.001	lbs	7.40 oz	0.210	9.64	154.48								
6710	OPTIONAL AC CHARGER KIT FOR VANTAGE CONNECT & HEAVY DUTY SOLAR POWER KIT														011698	01004	2					
	Packaged	6.25	4.25	2.25	158.75	107.95	57.15	0.035	0.001	0 lbs	4.80 oz	0.136	8.67	138.94				156600	110	C	USA	BOX
6714	AC Power Kit, EnviroMonitor Node														011698	01390	6					
	Packaged	6.75	4.25	2.25	171.45	107.95	57.15	0.037	0.001	0 lbs	4.80 oz	0.136	8.03	128.65				156600	110	C	USA	BOX
6801	EnviroMonitor Gateway, HSPA														011698	01283	1					
6801AU	EnviroMonitor Gateway, HSPA														011698	01284	8					
6801BR	EnviroMonitor Gateway, HSPA														011698	01313	5					
6801CA	EnviroMonitor Gateway, HSPA														011698	01314	2					
6801G	EnviroMonitor Gateway, HSPA														011698	01341	8					
6801NZ	EnviroMonitor Gateway, HSPA														011698	01312	8					
	Packaged	5.50	15.00	11.50	139.70	381.00	292.10	0.549	0.016	10 lbs	10.20 oz	4.825	19.37	310.36				156600	100	C	USA	BOX
6802	EnviroMonitor Gateway, LTE-M, US														011698	01393	7					
	Packaged	5.50	15.00	11.50	139.70	381.00	292.10	0.549	0.016	10 lbs	10.20 oz	4.825	19.37	310.36				156600	100	C	USA	BOX
6802A	EnviroMonitor Gateway, LTE, A														011698	01446	0					
	Packaged	5.50	15.00	11.50	139.70	381.00	292.10	0.549	0.016	10 lbs	10.20 oz	4.825	19.37	310.36				156600	100	C	USA	BOX
6805	EnviroMonitor Ethernet Gateway														011698	01336	4					
	Packaged	18.00	15.13	7.00	457.20	384.18	177.80	1.103	0.031	5 lbs	8.00 oz	2.495	4.99	79.89				156600	100	C	USA	BOX
6810	EnviroMonitor Node														011698	01261	9					
	Packaged	13.00	10.13	7.00	330.20	257.18	177.80	0.533	0.015	5 lbs	5.76 oz	2.431	10.05	161.03				156600	100	C	USA	BOX
6820	Vantage Pro2, GroWeather Wireless ISS, no Fan														011698	01277	0					
6820AU	Vantage Pro2, GroWeather Wireless ISS, no Fan, AU														011698	01325	8					
6820OV	Vantage Pro2, GroWeather Wireless ISS, no Fan, OV														011698	01279	4					
	Packaged	17.50	10.63	16.00	444.50	269.88	406.40	1.722	0.049	10 lbs	11.20 oz	4.854	6.21	99.56				156600	100	C	USA	BOX
6820C	Vantage Pro2, GroWeather Cabled ISS, no Fan														011698	01278	7					
6820CM	Vantage Pro2, GroWeather Cabled ISS, no Fan														011698	01281	7					
6820NZ	Vantage Pro2, GroWeather Cabled ISS, no Fan														011698	01311	1					
	Packaged	17.50	10.63	16.00	444.50	269.88	406.40	1.722	0.049	11 lbs	15.00 oz	5.415	6.93	111.07				156600	100	C	USA	BOX



Weights and Measures

DATE: 2/21/2023																							
Product #	Description	DIMENSIONS						VOLUME		WEIGHT			DENSITY		UPC - CODE		SHIPPING			Mfg Origin	PACK TYPE		
		INCHES			MM			ft^3	m^3	lbs	oz	kg	lb/ft^3	kg/m^3	Prefix	Suffix		NMFC #	RATE			Davis #	
6825	VANTAGE PRO2 , GroWeather Wireless ISS																011698	01225	1				
6825AU	VANTAGE PRO2 , GroWeather Wireless ISS - AU																011698	01282	4				
6825NZ	VANTAGE PRO2 , GroWeather Wireless ISS -NZ																011698	01267	1				
6825OV	VANTAGE PRO2 , GroWeather Wireless ISS - OV																011698	01265	7				
	Packaged	14.88	12.88	23.38	377.83	327.03	593.73	2.591	0.073	17 lbs	3.00 oz	7.796	6.63	106.27		011698	01224	4	156600	100	C	USA	BOX
6825C	VANTAGE PRO2 , GroWeather Cabled ISS																011698	01224	4				
	Packaged	14.88	12.88	23.38	377.83	327.03	593.73	2.591	0.073	18 lbs	7.00 oz	8.363	7.12	114.00		011698	01236	7	156600	100	C	USA	BOX
6830	Temp/Hum Sesnor with Radiation Shield																011698	01236	7				
	Packaged	10.00	8.00	5.00	254.00	203.20	127.00	0.231	0.007	3 lbs	0.00 oz	1.361	12.96	207.60		011698	01244	2	156600	100	C	USA	BOX
6832	Temp/Hum Sesnor with SPARS																011698	01244	2				
	Packaged	15.75	10.75	9.50	400.05	273.05	241.30	0.931	0.026	7 lbs	0.00 oz	3.175	7.52	120.46		011698	01244	2	156600	100	C	USA	BOX
6834	Temp/Hum Sensor with RJ Connector																11698	01374	6				
	Packaged	11.00	10.25	16.00	279.40	260.35	406.40	1.044	0.030	6 lbs	9.60 oz	2.994	6.32	101.27		011698	01222	0	156600	100	C	USA	BOX
6860	Data Pod,RJ12 Adapter, EnviroMonitor																011698	01222	0				
	Packaged	3.00	3.00	1.05	76.20	76.20	26.67	0.005	0.000	lbs	1.00 oz	0.028	11.43	183.07		011698	01426	2	156600	100	C	Taiwan	BAG
7210	AirLink PM Sensor																011698	01426	2				
7210EU	AirLink PM Sensor - EU																011698	01427	9				
7210UK	AirLink PM Sensor - UK																011698	01428	6				
7210USB	AirLink PM Sensor - USB																011698	01429	3				
	Packaged	7.88	5.38	2.00	200.03	136.53	50.80	0.049	0.001	lbs	13.50 oz	0.383	17.22	275.88		011698	01146	9	156600	100	C	USA	BOX
	Packaged - 8 Pk	13.75	14.00	14.00	349.25	355.60	355.60	1.560	0.044	8 lbs	0.00 oz	3.629	5.13	82.17		011698	01148	3	156600	175	C	USA	BOX
7345.527	RAIN COLLECTOR CONE REPLACEMENT KIT, with logo																011698	01148	3				
7345.528	RAIN COLLECTOR CONE REPLACEMENT KIT, no logo																011698	01148	3				
	Packaged	9.25	8.25	8.25	234.95	209.55	209.55	0.364	0.010	1 lbs	14.00 oz	0.851	5.15	82.44		011698	01147	6	156600	100	C	USA	BOX
7345.530	BIRD SPIKE/DEBRIS SCREEN KIT																011698	01147	6				
	Packaged	3.00	2.00	3.00	76.20	50.80	76.20	0.010	0.000	0 lbs	1.92 oz	0.054	11.52	184.54		011698	00768	4	156600	100	C	USA	BOX
7627	WIRELESS REPEATER with Solar Power																011698	00768	4				
7627OV	WIRELESS REPEATER with Solar Power - OV																011698	00808	7				
	Packaged	11.75	7.00	3.00	298.45	177.80	76.20	0.143	0.004	1 lbs	13.50 oz	0.836	12.91	206.83		011698	00828	5	156600	100	C	USA	BOX
7654	LONG RANGE REPEATER,AC,US																011698	00828	5				
7654OV	LONG RANGE REPEATER,AC -EU																011698	00829	2				
	Packaged	11.75	7.00	3.00	298.45	177.80	76.20	0.143	0.004	2 lbs	4.00 oz	1.021	15.76	252.40		011698	00832	2	95190	70	L	USA	BOX
7656	OMNI ANT,5DBI,LR REPEATER																011698	00832	2				
	Packaged	38.00	4.50	4.00	965.20	114.30	101.60	0.396	0.011	2 lbs	4.48 oz	1.034	5.76	92.27		011698	00831	5	95190	70	L	USA	BOX
7660	YAGI ANT,11DBI,LR REPEATR																011698	00831	5				
	Packaged	37.50	8.00	2.50	952.50	203.20	63.50	0.434	0.012	3 lbs	12.16 oz	1.706	8.66	138.77		011698	01407	1	95190	70	L	USA	BOX
7676	EM Long Range antenna, 5 dBi																011698	01407	1				
	Packaged				0.00	0.00	0.00	0.000	0.000	lbs	oz	0.000	#DIV/0!	#DIV/0!		011698	01408	8	95190	70	L	USA	BOX
7678	EM Long Range antenna, 8 dBi																011698	01408	8				
	Packaged				0.00	0.00	0.00	0.000	0.000	lbs	oz	0.000	#DIV/0!	#DIV/0!		011698	77140	0	156600	100	C	USA	BOX
7714	RADIATION SHIELD																011698	77140	0				
	Packaged	8.75	7.75	5.25	222.25	196.85	133.35	0.206	0.006	3 lbs	7.50 oz	1.573	16.84	269.70		011698	77160	8	156600	100	C	USA	BOX
7716	MOUNTING TRIPOD																011698	77160	8				
	Packaged	38.25	7.00	5.38	971.55	177.80	136.53	0.833	0.024	12 lbs	14.40 oz	5.851	15.49	248.12		011698	00316	7	156600	100	C	USA	BOX
7716A	MOUNTING TRIPOD with 18" lag bolts																011698	77160	8				
	Packaged	37.75	7.00	5.00	958.85	177.80	127.00	0.765	0.022	15 lbs	4.00 oz	6.917	19.94	319.49		011698	00316	7	156600	100	C	USA	BOX
7717	MTG POLE KIT																011698	00316	7				
	PACKAGED	26.00	3.25	3.25	660.40	82.55	82.55	0.159	0.005	3 lbs	0.00 oz	1.361	18.88	302.38		011698	77200	1	156600	100	C	USA	BOX
7720	RAIN COLLECTOR HEATER																011698	77204	9				
7720EU	RAIN COLLECTOR HEATER -EU																011698	77203	2				
7720UK	RAIN COLLECTOR HEATER -UK																011698	77203	2				
	Packaged	10.25	7.75	2.75	260.35	196.85	69.85	0.126	0.004	2 lbs	8.00 oz	1.134	19.78	316.78		011698	01285	5	156600	100	C	USA	BOX
7721	Rain Collector Heater with VP2 Classic Rain Cone																011698	01286	2				
7721EU	Rain Collector Heater with VP2 Classic Rain Cone -EU																011698	01287	9				
7721UK	Rain Collector Heater with VP2 Classic Rain Cone -UK																011698	01287	9				
	Packaged	8.63	8.63	11.00	219.08	219.08	279.40	0.474	0.013	4 lbs	2.00 oz	1.871	8.71	139.54		011698	00786	8	156600	100	C	USA	BOX
7747	DAYTIME FAN ASPIRATED RADIATION SHIELD KIT																011698	00786	8				
	Packaged	12.00	10.00	6.00	304.80	254.00	152.40	0.417	0.012	2 lbs	10.70 oz	1.211	6.41	102.60		011698	00786	8	156600	100	C	USA	BOX



Weights and Measures

DATE: 2/21/2023		DIMENSIONS						VOLUME		WEIGHT			DENSITY		UPC - CODE			SHIPPING			Mfg	PACK	
Product #	Description	INCHES			MM			ft^3	m^3	lbs	oz	kg	lb/ft^3	kg/m^3	Prefix	Suffix		NMFC #	RATE	Davis #	Origin	TYPE	
		L	W	H	L	W	H																
7817	TEMPERATURE PROBE WITH RJ CONNECTOR for Wizard and Monitor																						
	Packaged	2.75	2.75	1.50	69.85	69.85	38.10	0.007	0.000	lbs	5.00	oz	0.142	47.60	762.54	011698	78170	6	156600	70	F	USA	BAG
7852	RAIN COLLECTOR for Flat Surface Mount																						
7852M	Single Pack	8.63	8.75	11.00	219.08	222.25	279.40	0.480	0.014	3 lbs	5.00	oz	1.503	6.90	110.45	011698	78520	9	156600	100	C	USA	BOX
	Standard Pack - 4	18.00	18.25	12.00	457.20	463.55	304.80	2.281	0.065	14 lbs	2.00	oz	6.407	6.19	99.18	011698	78521	6	156600	100	C	USA	BOX
7857	RAIN COLLECTOR with VP2 Base for Pole Mount																						
7857M	Packaged	11.00	9.00	10.00	279.40	228.60	254.00	0.573	0.016	3 lbs	14.40	oz	1.769	6.81	109.04	11698	01142	1	156600	150	C	USA	BOX
7876-008	4-CONDUCTOR STD CABLE, 8'																						
	Packaged	6.60	6.00	1.00	167.64	152.40	25.40	0.023	0.001	lbs	2.88	oz	0.082	7.85	125.82	011698	00310	5	156600	70	F	TAIWAN	BAG
7876-040	4-CONDUCTOR STD CABLE, 40'																						
	Packaged	7.00	3.50	1.50	177.80	88.90	38.10	0.021	0.001	lbs	7.50	oz	0.213	22.04	353.07	011698	78761	6	156600	70	F	TAIWAN	BAG
7876-100	4-CONDUCTOR STD CABLE, 100'																						
	Packaged	9.00	5.50	1.50	228.60	139.70	38.10	0.043	0.001	1 lbs	2.00	oz	0.510	26.18	419.40	011698	78762	3	156600	70	F	TAIWAN	BAG
7876-200	4-CONDUCTOR STD CABLE, 200'																						
	Packaged	11.00	7.00	2.50	279.40	177.80	63.50	0.111	0.003	2 lbs	9.28	oz	1.170	23.16	370.99	011698	00311	2	156600	70	F	TAIWAN	BAG
7878-040	6-CONDUCTOR STD CABLE, 40'																						
	Packaged	7.00	4.00	2.75	177.80	101.60	69.85	0.045	0.001	lbs	11.00	oz	0.312	15.43	247.15	011698	78781	4	156600	70	F	TAIWAN	BAG
7880-025	8-CONDUCTOR STD CABLE, 25'																						
	Packaged	3.50	3.50	2.25	88.90	88.90	57.15	0.016	0.000	lbs	9.50	oz	0.269	37.22	596.29	011698	78800	2	156600	70	F	TAIWAN	BAG
7880-050	8-CONDUCTOR STD CABLE, 50'																						
	Packaged	5.00	5.00	2.00	127.00	127.00	50.80	0.029	0.001	1 lbs	1.00	oz	0.482	36.72	588.21	011698	78801	9	156600		F	TAIWAN	BAG
7880-100	8-CONDUCTOR STD CABLE, 100'																						
	Packaged	6.00	6.00	3.00	152.40	152.40	76.20	0.063	0.002	2 lbs	5.50	oz	1.063	37.50	600.70	011698	78802	6	156600	70	F	TAIWAN	BAG
7903L	WIND CUPS, LARGE																						
	Packaged	8.00	6.00	1.75	203.20	152.40	44.45	0.049	0.001	0 lbs	1.28	oz	0.036	1.65	26.36	011698	79030	2	156600	100	C	USA	BOX
7904	ANEMOMETER WIND VANE																						
	Packaged	8.00	6.00	1.25	203.20	152.40	31.75	0.035	0.001	0 lbs	8.00	oz	0.227	14.40	230.67	011698	79031	9	156600	100	C	USA	BOX
7905L	WIND CUPS																						
	Packaged	8.00	6.00	1.75	203.20	152.40	44.45	0.049	0.001	0 lbs	1.60	oz	0.045	2.06	32.95	11698	00461	4	156600	100	C	USA	BOX
7911	ANEMOMETER - Straight Arm																						
	Packaged	17.25	5.75	2.38	438.15	146.05	60.45	0.137	0.004	1 lbs	11.52	oz	0.780	12.59	201.68	11698	79110	1	156600	85	C	USA	BOX
7940	CONSOLE MOUNTING BASE																						
	Packaged	6.00	6.00	2.00	152.40	152.40	50.80	0.042	0.001	0 lbs	2.24	oz	0.064	3.36	53.82	011698	79400	3	156600	100	C	USA	BOX
8415	LITHIUM BATTERY																						
	Packaged	4.00	3.00	0.63	101.60	76.20	15.88	0.004	0.000	0 lbs	0.64	oz	0.018	9.22	147.63	011698	84150	9	156600	100	C	USA	BOX
8434	USB-TO-SERIAL CABLE																						
	Packaged	8.25	5.50	1.50	209.55	139.70	38.10	0.039	0.001	0 lbs	4.16	oz	0.118	6.60	105.74	11698	00567	3	156600	150	C		
PROMOTIONAL AND MERCHANDISING PRODUCTS																							
DIS-6152	Vantage Pro Display with mock wireless console/receiver																						
	Packaged	17.75	11.87	11.25	450.85	301.50	285.75	1.372	0.039	12 lbs	8.00	oz	5.670	9.11	145.98	011698	00806	3	156600	100	C	USA	BOX
DIS-6152M	Vantage Pro Display with mock wireless console/receiver																						
	Packaged	17.75	11.57	11.25	450.85	293.88	285.75	1.337	0.038	12 lbs	8.00	oz	5.670	9.35	149.76	011698	00943	5	156600	100	C	USA	BOX
DIS-6250	Vantage Vue Display with mock wireless console/receiver																						
	Packaged	8.00	10.00	12.00	203.20	254.00	304.80	0.556	0.016	7 lbs	3.00	oz	3.260	12.94	207.24	011698	00939	8	156600	100	C	USA	BOX
DIS-6250M	Vantage Vue Display with mock wireless console/receiver - Metric																						
	Packaged	8.00	10.00	12.00	203.20	254.00	304.80	0.556	0.016	7 lbs	3.00	oz	3.260	12.94	207.24	011698	00940	4	156600	100	C	USA	BOX
6152D	Vantage Pro Display with working wireless console/receiver, ISS and Tripod																						
6152DEU	Vantage Pro Display with working wireless console/receiver, ISS and Tripod - EU																						
6152DUK	Vantage Pro Display with working wireless console/receiver, ISS and Tripod - UK																						
	Packaged	40.00	18.00	18.00	1016.00	457.20	457.20	7.500	0.212	42 lbs	0.00	oz	19.051	5.60	89.70	011698	00812	4	156600	100	C	USA	BOX
6250D	Vantage Vue Display with working wireless console/receiver, ISS and Tripod																						
6250DEU	Vantage Vue Display with working wireless console/receiver, ISS and Tripod - EU																						
6250DUK	Vantage Vue Display with working wireless console/receiver, ISS and Tripod - UK																						
6250DM	Vantage Vue Display with working wireless console/receiver, ISS and Tripod - Metric																						
	Packaged	29.00	17.00	9.00	736.60	431.80	228.60	2.568	0.073	17 lbs	10.88	oz	8.020	6.89	110.30	011698	00930	5	156600	100	C	USA	BOX
PR55	WEATHER CATALOG - CONSUMER (With Prices & Mail Order Blank)																						
	Product	11.00	8.50	0.13	279.40	215.90	3.30	0.007	0.000	0 lbs	3.20	oz	0.091	28.43	455.46				4850	60	I	USA	ENVLP
	BOX (175 catalogs)	11.25	8.63	9.00	285.75	219.20	228.60	0.506	0.014	36 lbs	0.00	oz	16.330	71.19	1140.43	011698	00424	9					BOX
PR57	WEATHER CATALOG - OVERSEAS (No Prices or Mail Order Blank)																						
	Product	11.00	8.50	0.13	279.40	215.90	3.30	0.007	0.000	0 lbs	3.20	oz	0.091	28.43	455.46				4850	60	I	USA	ENVLP
	BOX (200 catalogs)	11.25	8.63	9.00	285.75	219.20	228.60	0.506	0.014	42 lbs	0.00	oz	19.051	83.06	1330.50	011698	00426	3					BOX



Weights and Measures

DATE: 2/21/2023		DIMENSIONS						VOLUME		WEIGHT			DENSITY		UPC - CODE			SHIPPING			Mfg	PACK
Product #	Description	INCHES			MM			ft^3	m^3	lbs	oz	kg	lb/ft^3	kg/m^3	Prefix	Suffix		NMFC #	RATE	Davis #	Origin	TYPE
		L	W	H	L	W	H															
PR70	DOMESTIC PRICE LIST																					
	Product (WEATHER)	8.50	11.00	0.01	215.90	279.40	0.13	0.000	0.000	0 lbs	0.01 oz	0.000	2.31	37.01	011698	00464	5	4850	60	I	USA	ENVLP